

Maintenance and Service Guide

© Copyright 2014 Hewlett-Packard Development Company, L.P.

AMD and AMD Radeon are trademarks of Advanced Micro Devices, Inc. Intel, Core, and Pentium are trademarks of Intel Corporation in the U.S. and other countries. Microsoft and Windows are U.S. registered trademarks of the Microsoft group of companies.

Product notice

This guide describes features that are common to most models. Some features may not be available on your computer.

Not all features are available in all editions of Windows 8. This computer may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows 8 functionality. See http://www.microsoft.com for details.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

First Edition: September 2014

Document Part Number: 794519-001

Important Notice about Customer Self-Repair Parts

CAUTION: Your computer includes Customer Self-Repair parts and parts that should only be accessed by an authorized service provider. See Chapter 5, "Removal and replacement procedures for Customer Self-Repair parts," for details. Accessing parts described in Chapter 6, "Removal and replacement procedures for Authorized Service Provider only parts," can damage the computer or void your warranty.

Safety warning notice

WARNING! To reduce the possibility of heat-related injuries or of overheating the device, do not place the device directly on your lap or obstruct the device air vents. Use the device only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to contact the skin or a soft surface, such as pillows or rugs or clothing, during operation. The device and the AC adapter comply with the user-accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 60950).

Table of contents

1	Product description	1
2	External component identification	6
	Finding your hardware and software information	6
	Locating hardware	6
	Locating software	6
	Right side	7
	Left side	g
	Display	11
	Top	12
	TouchPad	12
	Lights	13
	Buttons and speakers	14
	Keys	15
	Bottom	16
	Labels	17
3	Illustrated parts catalog	
	Computer major components	
	Display assembly subcomponents	
	Mass storage devices	
	Miscellaneous parts	
	Sequential part number listing	37
4	Removal and replacement procedures preliminary requirements	59
	Tools required	59
	Service considerations	59
	Plastic parts	
	Cables and connectors	
	Drive handling	60
	Grounding guidelines	
	Electrostatic discharge damage	
	Packaging and transporting guidelines	
	Workstation guidelines	
	Equipment quidelines	

5 Removal and replacement procedures for Customer Self-Repair parts	64
Component replacement procedures	64
Battery	65
Optical drive	66
6 Removal and replacement procedures for Authorized Service Provider parts	69
Component replacement procedures	69
Base enclosure	70
Display panel	78
WLAN module	86
TouchPad button board	89
Battery Board (select models only)	90
Optical drive connector	91
USB board	93
Hard drive	94
System board	95
Speakers	103
Memory modules	104
RTC battery	105
Power connector	106
Fan	107
Heat sink	108
Power button board	111
7 Windows – Using Setup Utility (BIOS) and HP PC Hardware Diagnostics (UEFI)	112
Starting Setup Utility (BIOS)	112
Updating the BIOS	112
Determining the BIOS version	112
Downloading a BIOS update	113
Using HP PC Hardware Diagnostics (UEFI)	113
Downloading HP PC Hardware Diagnostics (UEFI) to a USB device	114
8 Ubuntu Linux – Using Setup Utility (BIOS) and System Diagnostics	115
Starting Setup Utility	115
Using Setup Utility	
Changing the language of Setup Utility	
Navigating and selecting in Setup Utility	
Displaying system information	
Restoring factory default settings in Setup Utility	
Exiting Setup Utility	

Updating the BIOS	117
Determining the BIOS version	117
Downloading a BIOS update	117
Using Advanced System Diagnostics	118
9 Specifications	119
Computer specifications	119
Display Specifications (17.3)	120
Display Specifications (15.6-in)	121
Hard drive specifications	122
DVD±RW SuperMulti Double-Layer Combination Drive specifications	122
10 Windows 8.1 – Backing up, restoring, and recovering	124
Creating recovery media and backups	124
Creating HP Recovery media	124
Restore and recovery	125
Recovering using HP Recovery Manager	126
What you need to know	126
Using the HP Recovery partition (select models only)	126
Using HP Recovery media to recover	127
Changing the computer boot order	127
Removing the HP Recovery partition (select models only)	127
11 Ubuntu Linux – Backing up, restoring, and recovering	128
Performing a system recovery	128
Creating the restore DVDs	128
Creating a restore image on a USB device	128
Performing recovery using the restore media	129
Backing up your information	129
12 Power cord set requirements	131
Requirements for all countries	131
Requirements for specific countries and regions	132
13 Recycling	134
Index	125

1 Product description

Category	Description		Intel
Product Name	HP Pavilion 17 Notebook PC	√	√
	HP Pavilion 15 Notebook PC		
Processors	Processors are attached to the system board.		
AMD™	• AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600		
	 AMD A10-5745M (2.1 GHz/2.9 GHz, 4 MB L2, 1333 MHz DDR3L), quad core, 25 W Max DDR3L-1333 		
	 AMD A8-6410 (2.0 GHz up to 2.4 GHz, 2 MB L2, 1600 MHz DDR3L), quad core 15 W Max DDR3L-1600 		
	 AMD A6-6310 (1.8 up to 2.4 GHz, 2 MB L2, 1600 MHz DDR3L), quad core, 15 W Max DDR3L-1600 		
	• AMD A4-6210 (1.8 GHz, 2 MB L2), Quad 15 W, Max DDR3L-1600		
	• AMD E1-6010 (1.35GHz, 1 MB L2), Dual 10 W, Max DDR3L-1333		
	 HP Hexa-Core (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L), quad core 15 W 		
Intel®	 Intel Core i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (4 MB L3 cache, dual core, 15 W) 		√
	 Intel Core i5-4288U dual core 1.7 GHz (2.6 GHz, SC turbo up to 3.1 GHz),1600 MHz/3 MB L3, Dual 28 W 		
	 Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) 		
	 Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, Dual 15 W 		
	• Intel i5–4288U		
	 Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, dual core 15 W 		
	 Intel Pentium N3540 (2.16 GHz, turbo up to 2.66 GHz), 1333 MHz/2 MB L2, quad core 4.5 W 		
Chipset	AMD A76M FCH, for use with computer models A10-5745M	√	
	 AMD A76M FCH / AMD A70M FCH AMD A7xM (AMD A76 FCH to AMD A70M FCH 		
	 AMD Integrated SOC FCH, for use with computer models E1-6010, A8-6410, A6-6310, and A4-6210 		
	Intel Lynx Point-LP PCH, for use with 4th Generation Intel Core processors		\checkmark
Graphics	Internal graphics:		
	Support HD Decode, DX11, and HDMI	√	
	Support PX7		
	• AMD Radeon™ HD 8610G		

Category	Description	AMD	Intel
	AMD Radeon R5 Graphics		
	AMD Radeon R4 Graphics		
	AMD Radeon R3 Graphics		
	AMD Radeon R2 Graphics		
	Switchable Discrete Graphics:		
	AMD Topaz-XT (AMD Radeon™ R7 M260) with up to 2048 MB of dedicated video memory (256Mx16 DDR3L 900MHz x 4 PCs, 1 GHz bridge to 900MHz)		
	 Intel HD Graphics 4400, for use with 4th Generation Intel Core processors 		\checkmark
	 Intel HD Graphics, for use with 4th Generation Intel Pentium processors 		
	Switchable discrete graphics:		
	HD decode, DX11, and HDMI	√	$\sqrt{}$
	• Px7.0	√	
	Optimus		√
	GPS (GPU Performance Scaling)		
	 NVIDIA NI55_GT 840M with up to 2048 MB of dedicated video memory (256 M x16 DDR3 900 MHz x 4 PCs, 1 GHz downgrade to 900 MHz), 64 bit 		√
	 NVIDIA NI55_GM 830M with up to 2048 MB of dedicated video memory (256 M x16 DDR3 900 MHz x 4 PCs, 1 GHz downgrade to 900 MHz), 64 bit 		
Panel	16:9 Ultra Wide Aspect Ratio	√	\checkmark
	Touch solution with flush glass, multitouch enabled		
	No printing logo, no mic drill hole on mask		
	Support LVDS (co-layout with eDP1.3+PSR)		
	 17.3" HD+ WLED BrightView (1600x900) (wedge, 6.0mm) (for non-touch SKU only) 		
	 17.3" HD+ WLED Antiglare (1600x900) LED- SVA (wedge, 6.0mm) (for touch SKU only) 		
	 17.3" FHD WLED Antiglare (1920x1080) Wedge (6.0mm) WVA (for both non-touch & touch SKU) 		
	 15.6" HD WLED BrightView (1366x768) flat (3.6mm) SVA (for non-touch SKU only) 		
	 15.6" HD WLED Antiglare (1366x768) flat (3.8mm) SVA (for touch SKU only) 		
	 15.6" FHD WLED Antiglare (1920x1080) slim (3.2mm) SVA (for both non-touch & touch SKU) 		
Memory	Supports the following configurations:	√	√
	 12288 MB (8192 MB×1+ 4096 MB×1; not supported on computer models with a 32-bit operating system) 		

Category	Description	AMD	Intel
	 8192 MB (8192 MB×1 or 4096 MB×2; not supported on computer models equipped with a 32-bit operating system) 		
	 6144 MB (4096 MB×1 + 2048 MB×1; not supported on computer models equipped with a 32-bit operating system) 		
	• 4096 MB (4096 MB×1 or 2048 MB×2)		
	• 16384 MB (8192 MB x 2)		
	Two SODIMM memory module slots (select models only)		
	DDR3L-1600 MHz dual channel support		
	DDR3L-1333 MHz dual channel support		
	Max. DDR3L-1600MHz Single Channel Support		
	DDR3-1333MHz Dual Channel Support (DDR3L-1600 downgraded to DDR3-1333)	\checkmark	
	DDR3L-1333MHz Single Channel Support (DDR3L-1600MHz downgrade to DDR3L-1333MHz)		
	One SODIMM slot - NON customer accessible / upgradeable		\checkmark
Hard drive	Supports 6.35 cm (2.5 in) hard drives in 9.5 mm (.37 in) and 7.0 mm (.28 in) thicknesses (all hard drives use the same bracket)	\checkmark	√
	Supports the following hard drives:		
	 1.5 TB, 5400 rpm 9.5 mm for HP Pavilion 15 Notebooks and AMD computers only 		
	• 1 TB, 5400 rpm, 9.5 mm		
	• 750 GB, 5400 rpm, 9.5 mm		
	• 500 GB, 5400 rpm, 7.0 mm or 9.5 mm		
	• 320 GB, 5400 rpm, 7.0 mm or 9.5 mm		
	Serial ATA		
	HP 3D DriveGuard		
	Supports the following hybrid drives:	√	√
	• 500 GB, 5400 rpm, + 8 GB NAND Hybrid HDD; 7 mm		
	 750 GB, 5400 rpm, + 8 GB NAND Hybrid HDD; 9.5 mm 		
	 1 TB, 5400 rpm, + 8 GB NAND Hybrid HDD; 9.5 mm 		
Optical drive	Fixed	√	√
	Serial ATA		
	9.5 mm tray load		
	Zero power optical drive		
	Supports the following:		
	DVD±RW Double-Layer SuperMulti Drive	√	√
	 Blu-ray Disc R/RW with SuperMulti for AMD HP Pavilion 15 PC models only 		
	Support M-disc		

Category	Description	AMD	Inte
Audio	Supports:	√	√
and video	Dual speakers		
	HP TrueVision HD webcam (fixed, no tilt with activity LED; 1280×720 by 30 frames per second, USB 2.0, M-jpeg)		
	Two dual array, digital microphones with appropriate beam-forming, echocancellation, noise-reduction software		
	HD Audio		√
	Supports Dragon Notes for AMD models only		
Ethernet	Integrated 10/100 NIC	√	√
Wireless	Integrated wireless local area network (WLAN) options by way of wireless module	√	√
	One half-size mini card/PCI Express (HMC/PCIe) slot		
	Two WLAN antennas built into display assembly		
	Compatible with Miracast-certified devices		
	Support for the following WLAN formats:	√	√
	 Qualcomm Atheros AR9485 802.11 bgn 1x1 Wi-Fi adapter (with single antenna) 		
	Realtek RT8188 802.11bgn 1x1 Wi-Fi Adapter		
	 Realtek RT8723BE 802.11bgn 1x1 Wi-Fi + Bluetooth 4.0 Combo Adapter7 		
	Realtek RT8188 802.11 bgn 1x1 Wi-Fi adapter (with single antenna)	√	
	 Realtek RT8723BE 802.11 bgn 1x1 Wi-Fi + BT4.0 combo adapter (with single antenna) 		
	 Broadcom BCM 4352 802.11 ac 2x2 WiFi + BT 4.0 Combo Adapter (with dual antenna) 		
	 Broadcom BCM43142 802.11 bgn 1x1 Wi-Fi + BT4.0 HMC combo adapter (with single antenna) 		
	 Intel Dual Band Wireless-AC 3160 802.11 ac 1x1 WiFi + BT 4.0 combo adapter (with dual antennas) 		
	 Realtek RTL8188EE 802.11 bgn 1x1 Wi-Fi adapter (with single antenna) available for Windows 8.1 		√
External media cards	HP Multi-Format Memory Card Reader slot with push-push technology, supporting the following digital card formats:	\checkmark	√
	Supports memory cards such as Secure Digital SD/SDHC/SDXC		
Ports	AC Smart Pin adapter plug (4.5 mm barrel)	√	√
	 Combination audio-out (stereo headphone)/audio-in (mono microphone) 		
	RJ-45 (Ethernet)		
	• USB 3.0 (2 ports), USB 2.0 (1 port)		
	 HDMI version 1.4 output supporting 1920 x 1080 @ 60 Hz Hot Plug / Unplug and auto detect for correct output to wide-aspect versus standard aspect video 	\checkmark	√

Category	Description	AMD	Intel
Keyboard/	Full Size Textured island-style Keyboard with numeric key pad black	√	√
pointing devices	Full Size Textured island-style Keyboard with numeric key pad white		
	Clickpad with image sensor		
	Multitouch gestures enabled		
	Supports Windows® 8 Modern Trackpad Gestures		
Power	Supports the following AC adapters:	√	√
requirements	 45 W HP Smart AC adapter (nPFC, 3-wire, 4.5 mm, nslim) 		
	65 W HP Smart AC adapter (nPFC, 3-wire, 4.5 mm)	√	√
	65 W HP Smart AC adapter (nPFC, 3-wire, 4.5 mm, nslim		
	90 W Smart AC adapter (PFC, 3-wire, 4.5 mm)	√	
	90 W AC adapter (PFC, 3-wire, 4.5 mm)		
	Supports battery fast charge	\checkmark	√
	Supports the following batteries (battery is user-removable)		
	4 cell battery - 41 Whr (2.8 AH)		
Security	Security cable lock	√	√
Operating	Preinstalled:	√	√
system	Windows 8.1 Standard, 64 bit		
	Windows 8.1 Professional, 64 bit		
	FreeDOS 2.0, for Intel models only		
	Ubuntu Linux (select models only)		
Serviceability	End-user replaceable parts:	√	√
	AC adapter		
	• Battery		
	Optical drive		

2 External component identification

Finding your hardware and software information

Locating hardware

To find out what hardware is installed on your computer:

- 1. From the Start screen, type control panel, and then select Control Panel.
- Select System and Security, select System, and then click Device Manager in the left column.
 A list displays all the devices installed on your computer.

To find out information about system hardware components and the system BIOS version number, press fn+esc.


Locating software

To find out what software is installed on your computer:

▲ From the Start screen, click the down arrow in the lower-left corner of the screen.


Right side

NOTE: Refer to the illustration that most closely matches your computer.



Component			Description		
(1)	ψ	Power light	On: The computer is on.Blinking: The computer is in the Sleep state, a power-		
			saving state. The computer shuts off power to the display and other unneeded components.		
			 Off: The computer is off or in Hibernation. Hibernation is a power-saving state that uses the least amount of power. 		
(2)	9	Hard drive light	Blinking white: The hard drive is being accessed.		
	$\boldsymbol{\epsilon}$		 Amber: HP 3D DriveGuard has temporarily parked the hard drive. 		
(3)	O	Audio-out (headphone)/Audio-in (microphone) jack	Connects optional powered stereo speakers, headphones, earbuds, a headset, or a television audio cable. Also connects an optional headset microphone. This jack does not support optional microphone-only devices.		
			WARNING! To reduce the risk of personal injury, adjust the volume before putting on headphones, earbuds, or a headset. For additional safety information, refer to the <i>Regulatory, Safety, and Environmental Notices</i> . To access this guide, from the Start screen, type support, and then select the HP Support Assistant app.		
			NOTE: When a device is connected to the jack, the computer speakers are disabled.		
			NOTE: Be sure that the device cable has a 4-conductor connector that supports both audio-out (headphone) and audio-in (microphone).		
(4)	~	USB 2.0 port	Connects an optional USB device, such as a keyboard, mouse, external drive, printer, scanner or USB hub.		
(5)		Optical drive	Depending on your computer model, reads an optical disc or reads and writes to an optical disc.		
			NOTE: For disc compatibility information, go to the Help and Support web page. Follow the web page instructions to select your computer model. Select Drivers & Downloads , and then follow the on-screen instructions.		
(6)	Δ	Security cable slot	Attaches an optional security cable to the computer.		


Component	Description	
	NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.	




Comp	onent		Description		
(1)	d١	Power light	On: The computer is on.		
	0		 Blinking: The computer is in the Sleep state, a power- saving state. The computer shuts off power to the display and other unneeded components. 		
			 Off: The computer is off or in Hibernation. Hibernation is a power-saving state that uses the least amount of power. 		
(2)	0	Hard drive light	Blinking white: The hard drive is being accessed.		
	$\boldsymbol{\approx}$		 Amber: HP 3D DriveGuard has temporarily parked the hard drive. 		
(3)	O	Audio-out (headphone)/Audio-in (microphone) jack	Connects optional powered stereo speakers, headphones, earbuds, a headset, or a television audio cable. Also connects an optional headset microphone. This jack does not support optional microphone-only devices.		
			WARNING! To reduce the risk of personal injury, adjust the volume before putting on headphones, earbuds, or a headset. For additional safety information, refer to the <i>Regulatory, Safety, and Environmental Notices</i> . To access this guide, from the Start screen, type support, and then select the HP Support Assistant app.		
			NOTE: When a device is connected to the jack, the computer speakers are disabled.		
			NOTE: Be sure that the device cable has a 4-conductor connector that supports both audio-out (headphone) and audio-in (microphone).		
(4)	~	USB 2.0 port	Connects an optional USB device, such as a keyboard, mouse, external drive, printer, scanner or USB hub.		
(5)		Optical drive	Depending on your computer model, reads an optical disc or reads and writes to an optical disc.		
			NOTE: For disc compatibility information, go to the Help and Support web page. Follow the web page instructions to select your computer model. Select Drivers & Downloads , and then follow the on-screen instructions.		

Left side

NOTE: Refer to the illustration that most closely matches your computer.




Com	ponent		Description		
(1)	Ą	Power connector	Connects an AC adapter.		
(2)	#	AC adapter light	 Amber: The battery is charging. White: The AC adapter is connected and the battery is charged. Off: The computer is using battery power. 		
(3)	***	RJ-45 (network) jack/status lights	Connects a network cable. White: The network is connected. Amber: Activity is occurring on the network.		
(4)		Vents (2)	Enable airflow to cool internal components. NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.		
(5)	наті	HDMI port (select models only)	Connects an optional video or audio device, such as a high-definition television, any compatible digital or audio component, or a high-speed HDMI device.		
(6)	ss-	USB 3.0 ports (2)	Each USB 3.0 port connects an optional USB device, such as a keyboard, mouse, external drive, printer, scanner or USB hub.		
(7)		Memory card reader	Reads optional memory cards that store, manage, share, or access information. To insert a card: Hold the card label-side up, with connectors facing the slot, insert the card into the slot, and then push in on the card until it is firmly seated. To remove a card: Press in on the card it until it pops out.		



Com	onent		Description
(1)	Ą	Power connector	Connects an AC adapter.
(2)	4	AC adapter light	Amber: The battery is charging.
	*		 White: The AC adapter is connected and the battery is charged.
			Off: The computer is using battery power.
(3)	Δ	Security cable slot	Attaches an optional security cable to the computer.
	•		NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.
(4)		RJ-45 (network) jack/status lights	Connects a network cable.
	•***		White: The network is connected.
			 Amber: Activity is occurring on the network.
(5)		Vents (2)	Enable airflow to cool internal components.
			NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(6)	наті	HDMI port	Connects an optional video or audio device, such as a high-definition television, any compatible digital or audio component, or a high-speed HDMI device.
(7)	ss∻	USB 3.0 ports (2)	Each USB 3.0 port connects an optional USB device, such as a keyboard, mouse, external drive, printer, scanner or USB hub.
(8)		Memory card reader	Reads optional memory cards that store, manage, share, or access information.
			To insert a card:
			Hold the card label-side up, with connectors facing the slot, insert the card into the slot, and then push in on the card until it is firmly seated.
			To remove a card:
			Press in on the card it until it pops out.

Display



Compo	onent	Description
(1)	Internal display switch	Turns off the display and initiates Sleep if the display is closed while the power is on.
		NOTE: The internal display switch is not visible from the outside of the computer.
(2)	WLAN antennas (2)*	Send and receive wireless signals to communicate with wireless local area networks (WLANs).
		NOTE: Depending on your computer model, the number of antennas may vary.
(3)	Internal microphones (2)	Record sound.
(4)	Webcam light	On: The webcam is in use.
(5)	Webcam	Records video and captures photographs. Some models allow you to video conference and chat online using streaming video.
		To use the webcam, from the Start screen, type camera, and then select Camera from the list of applications.

^{*}The antennas are not visible from the outside of the computer. For optimal transmission, keep the areas immediately around the antennas free from obstructions. For wireless regulatory notices, see the section of the *Regulatory, Safety, and Environmental Notices* that applies to your country or region. To access this guide, from the Start screen, type support, and then select the **HP Support Assistant** app.


Top

TouchPad




Component		Description
(1)	TouchPad zone	Reads your finger gestures to move the pointer or activate items on the screen.
		NOTE: The TouchPad also supports edge-swipe gestures.
(2)	Left TouchPad button	Functions like the left button on an external mouse.
(3)	Right TouchPad button	Functions like the right button on an external mouse.

Lights




Comp	onent		Description
(1)	ዕ	Power light	 On: The computer is on. Blinking: The computer is in the Sleep state, a power-saving state. The computer shuts off power to the display and other unneeded components. Off: The computer is off or in Hibernation. Hibernation is a power-saving state that uses the least amount of power.
(2)		Caps lock light	On: Caps lock is on, which switches the keys to all capital letters.
(3)	4 ⊗	Mute light	Amber: Computer sound is off.Off: Computer sound is on.

Buttons and speakers




Component		Description
(1)	ம் Power button	 When the computer is off, press the button to turn on the computer.
		 When the computer is on, press the button briefly to initiate Sleep.
		 When the computer is in the Sleep state, press the button briefly to exit Sleep.
		 When the computer is in Hibernation, press the button briefly to exit Hibernation.
		CAUTION: Pressing and holding down the power button will result in the loss of unsaved information.
		If the computer has stopped responding and Windows shutdown procedures are ineffective, press and hold the power button down for at least 5 seconds to turn off the computer.
		To learn more about your power settings, see your power options. From the Start screen, type power, select Power and sleep settings , and then select Power and sleep from the list of applications.
(2)	Speakers (2)	Produce sound.

Keys



Component		Description
(1)	esc key	Displays system information when pressed in combination with the fn key.
(2)	fn key	Executes frequently used system functions.
(3)	Windows key	Returns you to the Start screen from an open app or the Windows desktop.
		NOTE: Pressing the Windows key again will return you to the previous screen.
(4)	Action keys	Execute frequently used system functions.
		NOTE: On select models, the f5 action key turns the keyboard backlight feature off or on.
(5)	num lock key	Controls the function of the integrated numeric keypad. Press the key to alternate between the standard numeric function found on an external keypad (this function is turned on at the factory) and the navigational function (indicated by the directional arrows on the keys).
		NOTE: The keypad function that is active when the computer is turned off is reinstated when the computer is turned back on.
(6)	Integrated numeric keypad	When num lock has been enabled, it can be used like an external numeric keypad.

Bottom



Comp	onent		Description
(1)		Battery lock	Locks the battery in the battery bay.
(2)		Battery bay	Holds the battery.
(3)		Vents (4) NOTE: The number of vents may vary depending on your computer model.	Enable airflow to cool internal components. NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(4)		Battery release latch	Releases the battery.
(5)		Optical drive access	Access to remove the optical drive

Labels

The labels affixed to the computer provide information you may need when you troubleshoot system problems or travel internationally with the computer.

- IMPORTANT: All labels described in this section will be located in one of 3 places depending on your computer model: affixed to the bottom of the computer, located in the battery bay, or under the service door.
 - Service label—Provides important information to identify your computer. When contacting support, you will probably be asked for the serial number, and possibly for the product number or the model number. Locate these numbers before you contact support.

Your service label will resemble one of the examples shown below. Refer to the illustration that most closely matches the service label on your computer.



Compo	nent
(1)	Serial number
(2)	Product number
(3)	Warranty period
(4)	Model number (select models only)


- Microsoft® Certificate of Authenticity label (select models only prior to Windows 8)—Contains
 the Windows Product Key. You may need the Product Key to update or troubleshoot the
 operating system. HP platforms preinstalled with Windows 8 or Windows 8.1 do not have the
 physical label, but have a Digital Product Key electronically installed.
 - NOTE: This Digital Product Key is automatically recognized and activated by Microsoft Operating Systems on a reinstall of the Windows 8 or Windows 8.1 operating system with HPapproved recovery methods.
- Regulatory label(s)—Provide(s) regulatory information about the computer.
- Wireless certification label(s)—Provide(s) information about optional wireless devices and the approval markings for the countries or regions in which the devices have been approved for use.

3 Illustrated parts catalog

Computer major components

NOTE: HP continually improves and changes product parts. For complete and current information on supported parts for your computer, go to http://partsurfer.hp.com, select your country or region, and then follow the on-screen instructions.

NOTE: Details about your computer, including model, serial number, product key, and length of warranty, are on the service tag at the bottom of your computer. See Bottom on page 16 for details.



Iterm	Component	Spare part number
(1)	Display assembly, 15.6 in	
	Display assembly, 17.3 in	
	Flat display assembly for use with HP Pavilion Notebooks. This display assembly is spared at the subcomponent level only. For more display assembly spare part information, see Display assembly subcomponents on page 32.	

Iterm	Component	Spare part number
(2)	Top cover (includes keyboard and cable):	
	Top cover for HP Pavilion 15 Notebook PC computer models:	
	With full size textured island-style Keyboard. Touchpad and numeric keypad black for use in the United States	762529-001
	With full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom	762529-031
	With full size textured island-style Keyboard and numeric keypad black for use in Germany	762529-041
	With full size textured island-style Keyboard and numeric keypad black for use in France	762529-051
	With full size textured island-style Keyboard and numeric keypad black for use in Italy	762529-061
	With full size textured island-style Keyboard and numeric keypad black for use in Spain	762529-071
	With full size textured island-style Keyboard and numeric keypad black for use in Portugal	762529-131
	With full size textured island-style Keyboard and numeric keypad black for use in Turkey	762529-141
	With full size textured island-style Keyboard and numeric keypad black for use in Greece	762529-151
	With full size textured island-style Keyboard and numeric keypad black for use in Latin America	762529-161
	With full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia	762529-171
	With full size textured island-style Keyboard and numeric keypad black for use in Hungary	762529-211
	With full size textured island-style Keyboard and numeric keypad black for use in Russia	762529-251
	With full size textured island-style Keyboard and numeric keypad black for use in Bulgaria	762529-261
	With full size textured island-style Keyboard and numeric keypad black for use in Romania	762529-271
	With full size textured island-style Keyboard and numeric keypad black for use in Thailand	762529-281
	With full size textured island-style Keyboard and numeric keypad black for use in Japan	762529-291
	With full size textured island-style Keyboard and numeric keypad black for use in Europe	762529-A41
	With full size textured island-style Keyboard and numeric keypad black for use in Taiwan	762529-AB1
	With full size textured island-style Keyboard and numeric keypad black for use in South Korea	762529-AD1
	With full size textured island-style Keyboard and numeric keypad black for International use	762529-B31
	With full size textured island-style Keyboard and numeric keypad black for use in the Adriatics	762529-BA1
	With full size textured island-style Keyboard and numeric keypad black for use in Israel	762529-BB1
	With full size textured island-style Keyboard and numeric keypad black for use in Switzerland	762529-BG1
	With full size textured island-style Keyboard and numeric keypad black Canada	762529-DB1
	With full size textured island-style Keyboard and numeric keypad black for use in the Netherlands	762529-DH1
	With full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia	762529-FL1

Iterm	Component	Spare part number
	With full size textured island-style Keyboard and numeric keypad black for use in South Africa	762529-FP1
	With full size textured island-style Keyboard, TouchPad, and numeric keypad white for use in the United States	762530-001
	With full size textured island-style Keyboard and numeric keypad white for use in the United Kingdom	762530-031
	With full size textured island-style Keyboard and numeric keypad white for use in Germany	762530-041
	With full size textured island-style Keyboard and numeric keypad white for use in France	762530-051
	With full size textured island-style Keyboard and numeric keypad white for use in Italy	762530-061
	With full size textured island-style Keyboard and numeric keypad white for use in Spain	762530-071
	With full size textured island-style Keyboard and numeric keypad white for use in Portugal	762530-131
	With full size textured island-style Keyboard and numeric keypad white for use in Turkey	762530-141
	With full size textured island-style Keyboard and numeric keypad white for use in Greece	762530-151
	With full size textured island-style Keyboard and numeric keypad white for use in Latin America	762530-161
	With full size textured island-style Keyboard and numeric keypad white for use in Saudi Arabia	762530-171
	With full size textured island-style Keyboard and numeric keypad white for use in Hungary	762530-211
	With full size textured island-style Keyboard and numeric keypad white for use in Russia	762530-251
	With full size textured island-style Keyboard and numeric keypad white for use in Bulgaria	762530-261
	With full size textured island-style Keyboard and numeric keypad white for use in Romania	762530-271
	With full size textured island-style Keyboard and numeric keypad white for use in Thailand	762530-281
	With full size textured island-style Keyboard and numeric keypad white for use in Japan	762530-291
	With full size textured island-style Keyboard and numeric keypad white for use in Europe	762530-A41
	With full size textured island-style Keyboard and numeric keypad white for use in Taiwan	762530-AB1
	With full size textured island-style Keyboard and numeric keypad white for use in South Korea	762530-AD1
	With full size textured island-style Keyboard and numeric keypad white for International use	762530-B31
	With full size textured island-style Keyboard and numeric keypad white for use in the Adriatics	762530-BA1
	With full size textured island-style Keyboard and numeric keypad white for use in Israel	762530-BB1
	With full size textured island-style Keyboard and numeric keypad white for use in Switzerland	762530-BG1
	With full size textured island-style Keyboard and numeric keypad white for use in Canada	762530-DB1
	With full size textured island-style Keyboard and numeric keypad white for use in the Netherlands	762530-DH1
	With full size textured island-style Keyboard and numeric keypad white for use in Czech and Slovakia	762530-FL1

term	Component	Spare part number
	With full size textured island-style Keyboard and numeric keypad white for use in South Africa	762530-FP1
	Top cover for HP Pavilion 17 Notebook PC computer models:	
	With full size textured island-style Keyboard and numeric keypad black for use in the United States	765806-001
	With full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom	765806-031
	With full size textured island-style Keyboard and numeric keypad black for use in Germany	765806-041
	With full size textured island-style Keyboard and numeric keypad black for use in France	765806-051
	With full size textured island-style Keyboard and numeric keypad black for use in Italy	765806-061
	With full size textured island-style Keyboard and numeric keypad black for use in Spain	765806-071
	With full size textured island-style Keyboard and numeric keypad black for use in Portugal	765806-131
	With full size textured island-style Keyboard and numeric keypad black for use in Turkey	765806-141
	With full size textured island-style Keyboard and numeric keypad black for use in Greece	765806-151
	With full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia	765806-171
	With full size textured island-style Keyboard and numeric keypad black for use in Hungary	765806-211
	With full size textured island-style Keyboard and numeric keypad black for use in Russia	765806-251
	With full size textured island-style Keyboard and numeric keypad black for use in Bulgaria	765806-261
	With full size textured island-style Keyboard and numeric keypad black for use in Romania	765806-271
	With full size textured island-style Keyboard and numeric keypad black for use in Belgium	765806-A41
	With full size textured island-style Keyboard and numeric keypad black for International use	765806-B31
	With full size textured island-style Keyboard and numeric keypad black for use in Slovenia	765806-BA1
	With full size textured island-style Keyboard and numeric keypad black for use in Israel	765806-BB1
	With full size textured island-style Keyboard and numeric keypad black for use in Switzerland	765806-BG1
	With full size textured island-style Keyboard and numeric keypad black for use in Canada	765806-DB1
	With full size textured island-style Keyboard and numeric keypad black for use in Nordic regions	765806-DH1
	With full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia	765806-FL1
	With full size textured island-style Keyboard and numeric keypad white for use in the United States	765807-001
	With full size textured island-style Keyboard and numeric keypad white for use in the United Kingdom	765807-031
	With full size textured island-style Keyboard and numeric keypad white for use in Germany	765807-041
	With full size textured island-style Keyboard and numeric keypad white for use in France	765807-051
	With full size textured island-style Keyboard and numeric keypad black for use in Italy	765807-061

Iterm	Component	Spare part number
	With full size textured island-style Keyboard and numeric keypad white for use in Spain	765807-071
	With full size textured island-style Keyboard and numeric keypad white for use in Portugal	765807-131
	With full size textured island-style Keyboard and numeric keypad white for use in Turkey	765807-141
	With full size textured island-style Keyboard and numeric keypad white for use in Greece	765807-151
	With full size textured island-style Keyboard and numeric keypad white for use in Saudi Arabia	765807-171
	With full size textured island-style Keyboard and numeric keypad white for use in Hungary	765807-211
	With full size textured island-style Keyboard and numeric keypad white for use in Russia	765807-251
	With full size textured island-style Keyboard and numeric keypad white for use in Bulgaria	765807-261
	With full size textured island-style Keyboard and numeric keypad white for use in Romania	765807-271
	With full size textured island-style Keyboard and numeric keypad white for use in Belgium	765807-A41
	With full size textured island-style Keyboard and numeric keypad white for International use	765807-B31
	With full size textured island-style Keyboard and numeric keypad white for use in Slovenia	765807-BA1
	With full size textured island-style Keyboard and numeric keypad white for use in Israel	765807-BB1
	With full size textured island-style Keyboard and numeric keypad white for use in Switzerland	765807-BG1
	With full size textured island-style Keyboard and numeric keypad white for use in Canada	765807-DB1
	With full size textured island-style Keyboard and numeric keypad white	765807-DH1
	With full size textured island-style Keyboard and numeric keypad white for use in Nordic regions	765807-FL1
3)	Power button board (includes cable)	
	For HP Pavilion 15 Notebook PC computer models	762496-001
	For HP Pavilion 17 Notebook PC computer models	763708-001
4)	TouchPad board (with bracket and cable)	
	For HP Pavilion 15 Intel Notebook PC computer models	
	In Ano Silver	762506-001
	In Ash Silver	762525-001
	For HP Pavilion 17 Intel Notebook PC computer models	
	In Ash Silver	765792-001
	In natural silver	767059-001
	For HP Pavilion AMD Notebook PC computer models	
	In Ano Silver	781764-001
	In Ash Silver	781765-001
	TouchPad board with bracket and cable in ano silver for AMD computers	781767-001
	TouchPad board with bracket and cable ano silver for AMD computers	781768-001

Iterm	Component	Spare part number
(5)	WLAN module:	
	Realtek RT8188EE 802.11 bgn 1x1 Wi-Fi adapter, for use only on computer models equipped with Intel processors	709848-005
	Broadcom BCM43142 802.11 bgn 1x1 Wi-Fi + BT4.0 HMC combo adapter, for use only on computer models equipped with Intel processors for HP Pavilion 17 and 15 Notebook PC	753076-005
	Intel Dual Band Wireless-AC 3160 802.11 ac 1x1 WiFi + BT 4.0 combo adapter, for use only on computer models equipped with Intel processors for HP Pavilion 17 and 15 Notebook PC	710662-005
	Realtek RT8723BE 802.11bgn 1x1 Wi-Fi + BT4.0 Combo Adapter for HP Pavilion 17 Notebook PC	753077-005
	Realtek 8188EE 802.11BGN 1x1	709848-005
	Broadcom BCM 4352 WLAN 802.11 AC+BT4 2x2HMC for AMD HP Pavilion 15 Notebook PC	724935-005
(6)	Battery Board (For use only with HP Pavilion 17 Notebook PC)	763710-001
(7)	USB board	
	For use with HP Pavilion 17 Notebook PC computer models	767120-001
	For use with HP Pavilion 15 Notebook PC computer models	762497-001
(8)	System board (includes replacement thermal material):	
	For computer models equipped with Intel processors and UMA graphics	
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767409-001
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767409-501
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766469-001
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766469-501
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766469-601
	Intel Core i5-4200U (1.6GHz, SC turbo up to 2.6GHz), 1600MHz/3MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC	774767-601
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 1 5W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC available for FreeDOS and Ubuntu Linux,	767410-001
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767410-501
	Intel Core i3-4030U (1.9GHz), 1600MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	774768-001
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	774768-501
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3M B L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC7	774768-601

Iterm	Component	Spare part number
	Intel Core i3-4010U 1.7 GHz processor (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766471-001
	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	787515-001
	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 17 Notebook PC	787515-501
	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 15 Notebook PC	787515-601
	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	787484-001
	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	787484-501
	Intel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2 MB L2, dual SDP4.5 W for use with FreeDOS and Ubuntu Linux for use with Windows Standard HP Pavilion 17 Notebook PC	787485-001
	Intel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2MB L2, dual SDP4.5 W for use with Windows Standard HP Pavilion 17 Notebook PC	787485-501
	Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	779839-001
	Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	779839-501
	Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC	779839-601
	Intel Core i3-4005U (1.7GHz), 1600 MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux	779127-001
	Intel Core i3-4005U (1.7GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	779127-501
	For computer models equipped with Intel processors and discrete switchable graphics	
	Intel Core 840M i7-4500U (1.8GHz, SC turbo up to 3.0GHz), 1600MHz/ 2 MB L3, Dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	778947-001
	Intel Core 840M i7-4500U (1.8GHz, SC turbo up to 3.0GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC	778947-501
	Intel Core 840M i5-4200U (1.6GHz, SC turbo up to 2.6GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	778948-001
	Intel Core 840M i5-4200U (1.6GHz, SC turbo up to 2.6GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC	778948-501
	Intel Core 830M i5-4200U (1.6GHz, SC turbo up to 2.6GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	778949-001
	Intel Core 830M i5-4200U (1.6GHz, SC turbo up to 2.6GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC	778949-501
	Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767412-001
	Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767412-501

lterm	Component	Spare part number
	Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W available for FreeDOS and Ubuntu Linux,	779840-001
	Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	779840-501
	Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC	779840-601
	Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766472-001
	Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766472-501
	Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766472-601
	Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767413-001
	Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767413-501
	Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766473-001
	Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	766473-501
	Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	766473-601
	Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767414-001
	Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767414-501
	Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766476-001
	Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	766476-501
	Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766476-601
	Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767415-001
	Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767415-501
	Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, dual core 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	774772-001
	Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, dual core 15W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	774772-501

Iterm	Component	Spare part number
	Intel Core 830Mi3-4030U (1.9 GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Professional HP Pavilion 15 Notebook PC	774772-601
	Intel Core i3-4010U 1.7 GHz processor (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767411-001
	Intel Core i3-4010U 1.7 GHz processor (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767411-501
	Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W available for FreeDOS, and Ubuntu Linux	779840-001
	Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	779840-501
	Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC	779840-601
	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	787516-001
	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	787516-501
	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 15 Notebook PC	787516-601
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	767415-001
	Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, Dual 15 W available for Windows 8.1	767415-501
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766473-001
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) available for Windows 8.1	766473-501
	Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) available for Windows 8.1 Professional	766473-601
	For computer models equipped with AMD processors and UMA graphics	
	AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763420-001
	AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763420-501
	AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762527-001
	AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762527-501
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763422-001
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763422-501
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762526-001


Iterm	Component	Spare part number
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762526-501
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763421-001
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763421-501
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762528-001
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762528-501
	EI–6010 (1.35 GHz, 1 MB L2), Dual 10W, Max DDR3L-1333 for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763423-001
	EI–6010 (1.3 5GHz, 1MB L2), Dual 10W, Max DDR3L-1333 for use with Windows Standard HP Pavilion 17 Notebook PC	763423-001
	AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763424-001
	AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763424-501
	AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766714-001
	AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766714-501
	AMD A8-5545M W8STD for use with Windows Standard HP Pavilion 15 Notebook PC	766713-501
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L), quad core, 15 W or use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763421-001
	AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L), quad core, 15 W for use with Windows Standard HP Pavilion 17 Notebook PC	763421-001
	For computer models equipped with AMD processors and Discrete graphics	
	AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763425-001
	AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763425-501
	AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762532-001
	AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762532-501
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763427-001
	AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763427-501
	AMD M260 A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762531-001

Iterm	Component	Spare part number	
	AMD M260 A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762531-501	
	AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763428-001	
	AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763428-501	
	AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766715-001	
	AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766715-501	
	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	778258-001	
	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Standard HP Pavilion 15 Notebook PC	778258-501	
	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Professional HP Pavilion 15 Notebook PC	778258-601	
(9)	Power Connector		
	For use with HP Pavilion 15 Notebook PC computer models	762507-001	
	For use with HP Pavilion 17 Notebook PC computer models	763699-001	
(10)	Memory modules :		
	2 GB memory module	691739-005	
	4 GB memory module	691740-005	
	8 GB memory module	693374-005	
	2 GB memory module	652972-005	
	8 GB memory module	670034-005	
	16 GB memory module for use with AMD HP Pavilion 15 computer models	756760-004	
(11)	Fan for use with HP Pavilion 17 Notebook PC computer models	765788-001	
	Fan for use with HP Pavilion 15 Notebook PC computer models	762505-001	
(12)	RTC battery	697917-001	
(13)	Heat sink assembly for use only on computer models equipped with UMA graphics (includes thermal material):	replacement	
	For use with HP Pavilion 15 Notebook PC computer models:		
	For use only on computer models with Intel processors discrete memory 19 W	762524-001	
	For use only on computer models equipped with AMD processors and UMA graphics 19 W	767339-001	
	For use only on computer models equipped with AMD processors and discrete graphics 19 W	767340-001	
	For use only on computer models equipped with AMD processors and UMA graphics 8.5 W	767341-001	
	For use only on computer models equipped with Intel processors and discrete graphics 8.5 W	780212–001	

Iterm	Component	Spare part number
	For use only on computer models equipped with Intel processors and UMA graphics 28 W	793182-001
	For use with HP Pavilion 17 Notebook PC computer models:	
	For use only on computer models with Intel processors discrete memory 19 W	762524-001
	For use only on computer models equipped with AMD processors and UMA graphics 19 W	764080-001
	For use only on computer models equipped with AMD processors and UMA graphics 25 W	764082-001
	For use only on computer models equipped with AMD processors and discrete graphics 25 W	764083–001
	For use only on computer models equipped with AMD processors and UMA graphics 19 W	767339-001
	For use only on computer models with Intel processors discrete memory 19 W	767340-001
	For use only on computer models equipped with AMD processors and UMA graphics 8.5 W	767341-001
	For use only on computer models with Intel processors discrete memory 19 W CB	777250-001
(14)	Display Cable	
	For specific cable spare parts, see <u>Display assembly subcomponents on page 32</u>	
(15)	Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 17 Notebook PC computer models	763717-001
	Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 15 Notebook PC computer models	762502-001
(16)	Hard drive (does not include the hard drive rubber bracket, hard drive connector cable, or screws)	
	For specific hard drive spare parts, see Mass storage devices on page 35	
(17)	4-cell, 41 WHr, 2.8A H Li-ion battery	756743-001
(18)	Optical drive:	
	For specific optical drives with spare part numbers, see <u>Mass storage devices on page 35</u>	
(19)	Base enclosure:	
	For use on HP Pavilion 17 Notebook PC computer models	
	Aqua blue finish	766908-001
	Natural silver finish	766909-001
	Snow white finish	765781-001
	Vibrant red finish	766910-001
	Neon purple	777196-001
	Snow white for use with AMD processors	780084-001
	Aqua blue for use with AMD processors	780085-001
	Natural silver for use with AMD processors	780086-001
	Vibrant red for use with AMD processors	780087-001
	Vibrail Tod for doc Will 7 Will processors	100001 001

lterm	Component	Spare part number
	Aqua blue finish	762501-001
	Natural silver finish	762498-001
	Snow white finish	762499-001
	Vibrant red finish	762500-001
	Neon purple	778264-001
	Natural silver for use with Intel processors	780094-001
	Snow white for use with Intel processors	780095-001
	Vibrant red for use with Intel processors	780096-001
	Aqua blue for use with Intel processors	780097-001
	Neon pink for use with Intel processors	780098-001
	Neon purple for use with Intel processors	780099-001
	For use with HP Pavilion 15 Notebook PC touchscreen computers	790018-001
	For use with Intel processors for use with HP Pavilion 15 Notebook PC	788385-001
	Neon purple	777196-001
20)	Base enclosure caps (Included in the plastics kit)	
	For HP Pavilion 17 Notebook PC computer models	765789-001
	For HP Pavilion 15 Notebook PC computer models	764081-001

Display assembly subcomponents



Item	Component	Spare part number
(1)	Display bezel for HP Pavilion 17 Notebook PC (includes screws)	765782-001
	Display bezel for HP Pavilion 15 Notebook PC (includes screws)	762512-001
(2)	Display Hinge Kit (includes left and right hinges and screws)	
	For HP Pavilion 17 Notebook PC	
	Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	763706-001
	Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	765356-001
	For HP Pavilion 15 Notebook PC	
	Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	762520-001
	Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	763105-001
(3)	15.6 LED BrightView HD SVA HD, WLED, SVA flat display panel (includes screws)	762513-001
	15.6 WLED AG HD Touchscreen with bezel (includes screws)	764622-001
	15.6 WLED AG full HD SVA available for Windows 8.1 (includes screws)	764623-001
	15.6 WLED AG full HD Touchscreen with bezel flat display panel (includes screws)	766687-001
	17.3 WLED AG HD touchscreen flat display panel flat display panel (includes screws)	766903-001

Item	Component	Spare part number
	17.3 WLED AG BrightView HD flat display panel available for Windows 8.1 (includes screws)	766904-001
	17.3 WLED AG full HD flat display panel available for Windows 8.1 (includes screws)	766905-001
	17.3 WLED AG touchscreen full HD flat display panel (includes screws)	766906-001
(4)	Antenna Kit (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 15 Notebook PC	762518-001
	Antenna Kit, Touchscreen (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 15 Notebook PC	763568-001
	Antenna Kit (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 17 Notebook PC	763691-001
	Antenna Kit, Touchscreen (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 15 Notebook PC	763692-001
(5)	Webcamera/microphone module (includes adhesive and screws) for HP Pavilion 17 and 15 Notebook PC	762521-001
	Webcamera/microphone module, Touchscreen (includes adhesive and screws) for HP Pavilion 17 and 15 Notebook PC	762545-001
(6)	Display panel SXGA cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models	765785-001
	Display panel SXGA cable for Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models	765786-001
	Display panel HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	762519-001
	Display panel full HD cable for Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	763590-001
	Display panel full HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	762544-001
	Display panel HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	763572-001
(7)	Display back cover (includes screws):	
	For HP Pavilion 17 Notebook PC	
	Aqua blue finish	765774-001
	Natural silver finish	765775-001
	Snow white finish	765773-001
	Vibrant red finish	765776-001
	Neon purple finish	777194-001
	Aqua blue finish, Touchscreen	765778-001
	Natural silver finish, Touchscreen	765779-001

m	Component	Spare part number
	Snow white finish, Touchscreen	765777-001
	Vibrant red finish, Touchscreen	765780-001
	Neon purple finish, Touchscreen	777195-001
	For HP Pavilion 15 Notebook PC	
	Aqua blue finish	762511-001
	Natural silver finish	762508-001
	Snow white finish	762509-001
	Vibrant red finish	762510-001
	Neon purple finish	779639-001
	Aqua blue finish, Touchscreen	762517-001
	Natural silver finish, Touchscreen	762514-001
	Snow white finish, Touchscreen	762515-001
	Vibrant red finish, Touchscreen	762516-001
	Neon purple finish, Touchscreen	778263-001
	Touchscreen HP Pavilion 15 Notebook PC Intel computer model	790017-001
	Neon Pink	778259-001
	Neon Pink, touchscreen	778260-001

Mass storage devices



Item	Component	Spare part number
(1)	Hard drive (does not include the hard drive rubber bracket, hard drive connector cable	e, or screws)
	1 TB, 5400 rpm, 9.5 mm available for Windows 8.1	778192-005
	750 GB, 5400 rpm, 9.5 mm available for Windows 8.1	778190-005
	500 GB 5400 rpm 9.5 mm available for Windows 8.1	778188-005
	500 GB 5400 rpm 7 mm hybrid	732000-005
	1 TB, 5400 rpm 9.5 mm	731999-005
	750 GB 5400 rpm + 8 GB NAND hybrid, 9.5 mm	732001-005
	1.5 TB, 5400 rpm 9.5 mm for HP Pavilion 15 Notebooks and AMD computers only	747375-005
	Hard Drive Hardware Kit, for HP Pavilion 17 Notebook PC	773501-001
	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC	762504-001
(2)	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket):	
	For HP Pavilion 17 Notebook PC	
	Aqua blue finish	765793-001
	Natural silver finish	763426-001
	Snow white finish	765787-001
	Vibrant red finish	766894-001
	Neon purple finish	777222-001
	For HP Pavilion 15 Notebook PC	
	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket):	762503-001
	Blu-ray Disc R/RW with SuperMulti for AMD models only	778266-001
	Optical drive board natural silver	778856-001
	Optical Drive Hardware Kit,	

Item	Component	Spare part number
	For HP Pavilion 15 Notebook PC in neon pink	778262-001
	For HP Pavilion 15 Notebook PC in twinkle black	790019-001
	For HP Pavilion 15 Notebook PC in neon purple	778265-001
	For HP Pavilion 15 Notebook PC in neon purple	778856-001
	For HP Pavilion 15 Notebook PC in natural silver	763100-001
	For HP Pavilion 15 Notebook PC in snow white	763101-001
	For HP Pavilion 15 Notebook PC in aqua blue	763103-001
	For HP Pavilion 15 Notebook PC in vibrant red	763102-001

Miscellaneous parts

Component	Spare part number
AC adapter:	
45 W HP Smart AC adapter (nPFC, RC, 3-wire, 4.5 mm, nslim)	741727-001
65 W HP Smart AC adapter (nPFC, RC, 3-wire, 4.5 mm)	710412-001
90 W HP Smart AC adapter (PFC, RC, 3-wire, 4.5 mm), for use with computer models with AMD processors	710413-001
90-W AC adapter (EM, PFC, SMT, 3-wire, 4.5-mm) for use with HP Pavilion 15 Notebook PC computer models only	710414-001
65-W HP Smart AC adapter (non-PFC, EM, 3-wire, 4.5-mm) for use with HP Pavilion 15 Notebook PC computer models only	714657-001
Power cord (3 pin, black, 1.0 m):	
For use in North America	755530-001
For use in Argentina	755530-D01
For use in Australia, for use with computer models with Intel processors	755530-011
For use in Brazil, for use with computer models with Intel processors	755530-202
For use in Europe, for use with computer models with Intel processors	755530-021
For use in India, for use with computer models with Intel processors	755530-D61
For use in Italy	755530-061
For use in the People's Republic of China, for use with computer models with Intel processors	755530-AA1
For use in South Korea, for use with computer models with Intel processors	755530-AD1
For use in Taiwan, for use with computer models with Intel processors	755530-AB1
For use in Thailand, for use with computer models with Intel processors	755530-201
For use in the United Kingdom and Singapore, for use with computer models with Intel processors	755530-031
For use in Denmark, Finland, Norway	755530-081

Component	Spare part number
For use in Switzerland	755530-111
For use in Japan	755530-291
For use in Israel	755530-BB1
For use in South Aftrica	755530-AR1
Screw Kit for HP Pavilion 15 Notebook PC	762522-001
Screw Kit for HP Pavilion 17 Notebook PC	765790-001
HDMI to VGA Adapter for use with computer models with AMD processors	701943-001
Rubber kit for HP Pavilion 15 Notebook PC	763104-001
Rubber kit for HP Pavilion 17 Notebook PC	763714-001
Heat spreader for use with Intel computer models	784982-001

Sequential part number listing

Spare part number	Description	Regulato	atory Model Number			
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
652972-005	2 GB memory module for HP Pavilion 15 Notebook PC	√	√			
670034-005	8 GB memory module for HP Pavilion 17 Notebook PC			√	√	
691739-005	2 GB memory module for HP Pavilion 17 Notebook PC			√	√	
691740-005	4 GB memory module	√	√	√	√	
693374-001	8 GB memory module for HP Pavilion 15 Notebook PC	√	√			
697917-001	RTC battery	√	√	√	√	
701943-001	HDMI to VGA adapter for use with computer models with AMD processors		\checkmark	√	√	
709848-005	Realtek RTL8188EE 802.11 bgn Wi-Fi Adapter	√	√	√	√	
710412-001	65 W HP Smart AC adapter (nPFC, RC, 3-wire, 4.5 mm), select models only	√	\checkmark	√	√	
710413-001	90 W HP Smart AC adapter (PFC, RC, 3-wire, 4.5 mm) for use with computer models with AMD processors select models only		\checkmark	√		
710414–001	90 W HP Smart AC adapter Slim (PFC, RC, 3-wire, 4.5 mm) for use with computer models with AMD processors select models only		√			
710662-005	WLAN Intel Dual Band Wireless-AC 3160 802.11 ac 1x1 WiFi + BT 4.0 combo adapter, for use only on computer models equipped with Intel processors	√			√	
714657-001	65 W HP Smart AC adapter (nPFC, RC, 3-wire, 4.5 mm), select models only	√	√			

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q14	
724935-005	WLAN Broadcom BCM 4352 WLAN 802.11 AC+BT4 2x2HMC for HP Pavilion 15 AMD computer models		√			
731999-005	Hard drive 1 TB, 5400 rpm + 8 GB NAND hybrid, 9.5 mm	√	√	√	√	
732000-005	Hard drive 500 GB 5400 rpm + 8 GB NAND hybrid, 7 mm	√	√	√	√	
732001-005	Hard drive, 750 GB 5400 rpm + 8 GB NAND hybrid, 9.5 mm	√	√	√	√	
741727-001	45 W HP Smart AC adapter (nPFC, RC, 3-wire, 4.5 mm), nslim	√	√	√	√	
747375-005	Hard drive 1.5 TB 5400-RPM SATA RAW 9.5 mm	√	√		√	
753076-005	WLAN Broadcom BCM43142 802.11 bgn 1x1 Wi-Fi + BT4.0 HMC combo adapter for use only with HP Pavilion 17 Notebook PC computer modelss or HP Pavilion 15 Notebook PC computer models	√			√	
753077-005	WLAN Realtek RT8723BE 802.11 bgn 1x1 Wi-Fi + BT4.0 combo adapter, for use only on computer models equipped with AMD processors		√	\checkmark		
755530-001	Power cord for use in North America (3 pin, black, 1.0 m)	√	√	\checkmark	√	
755530-011	Power cord for use in Australia (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√			
755530-021	Power cord for use in Europe (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√	√	√	
755530-031	Power cord for use in the United Kingdom and Singapore (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√	√	1	
755530-061	Power cord for use in Italy (3 pin, black, 1.0 m)		√			
755530-081	Power cord for use in Denmark (3 pin, black, 1.0 m)	√	√	√	√	
755530-111	Power cord for use in Switzerland (3 pin, black, 1.0 m)	√	√	√	√	
755530-201	Power cord for use in Thailand (3 pin, black, 1.0 m), for use with computer models with Intel processors		√			
755530-291	Power cord for use in Japan (3 pin, black, 1.0 m), for use in Japan	√	√			
755530-AA1	Power cord for use in People's Republic of China (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√			
755530-AB1	Power cord for use in Taiwan (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√			
755530-AD1	Power cord for use in South Korea (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√			
755530-AR1	Power cord for use in South Africa (3 pin, black, 1.0 m)	√			√	
755530-BB1	Power cord for use in Israel (3 pin, black, 1.0 m)	√	√		√	
755530-D61	Power cord for use in India (3 pin, black, 1.0 m), for use with computer models with Intel processors	√	√			

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
756743-001	4 cell, 41 Whr, 2.8 Ah, Li-ion battery	√	√	√	√	
762521-001	Webcamera/microphone module (includes adhesive) for HP Pavilion 17 Notebook PC			√	√	
762524-001	Heat sink for use only on computer models equipped with a graphics subsystem with AMD switchable discrete graphics, 19 W select models only			√		
762545-001	Webcamera/microphone module, Touchscreen (includes adhesive and screws) for HP Pavilion 17 Notebook PC			√	√	
762496-001	Power button board (includes cable) For HP Pavilion 15 Notebook PC	√	√			
762497-001	USB board for use with HP Pavilion 15 Notebook PC computer models	√	√			
762498-001	Base enclosure Natural silver finish for use on select HP Pavilion 15 Notebook PC	√				
762499-001	Base enclosure Snow white finish for use on HP Pavilion 15 Notebook PC	√				
762500-001	Base enclosure Vibrant red finish for use on HP Pavilion 15 Notebook PC	√				
762501-001	Base enclosure for Beats Audio use on HP Pavilion 15 Notebook PC	√				
762502-001	Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 15 Notebook PC	√	√			
762503-001	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket):	√	√			
762504-001	Hard Drive Hardware Kit for use with HP Pavilion 15 Notebook PC	√	√			
762505-001	Fan for use with HP Pavilion 15 Notebook PC	√	√			
762506-001	TouchPad board (with bracket and cable) for HP Pavilion 15 Notebook PC computer models in ano silver	√				
762507-001	Power connector for use with HP Pavilion 15 Notebook PC	√	√	·		
762508-001	Display back cover Natural silver finish for HP Pavilion 15 Notebook PC	√	\checkmark			
762509-001	Display back cover in snow white for HP Pavilion 15 Notebook PC	√	\checkmark			
762510-001	Display back cover in vibrant red for HP Pavilion 15 Notebook PC	√	√			
762511-001	Display back cover in aqua blue for HP Pavilion 15 Notebook PC	√	√			
762512-001	Display bezel for HP Pavilion 15 Notebook PC	√	√			
762513-001	15.6 LED BrightView HD SVA HD, WLED, SVA flat display panel (includes screws)	√	√			

Spare part number	Description	Regulatory Model Number					
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
762514-001	Display back cover (includes screws): natural silver finish, Touchscreen for HP Pavilion 15 Notebook PC	√	V				
762515-001	Display back cover (includes screws):snow white, Touchscreen for HP Pavilion 15 Notebook PC	\checkmark	\checkmark				
762516-001	Display back cover (includes screws): vibrant red finish, Touchscreen for HP Pavilion 15 Notebook PC	√	√				
762517-001	Display back cover (includes screws): aqua blue finish, Touchscreen for HP Pavilion 15 Notebook PC	√	√				
762518-001	WLAN Antenna Kit for use with HP Pavilion 15 Notebook PC computer non-touch models (includes left and right wireless antenna cables and transceivers)	√	√				
762519-001	Display panel cable HD cable for non-Touchscreen models for HP Pavilion 15 Notebook PC computer models:	√	√				
762520-001	Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 15 Notebook PC	√	√				
762521-001	Webcamera/microphone module (includes adhesive and screws) for HP Pavilion 15 Notebook PC	√	√				
762522-001	Screw Kit for HP Pavilion 15 Notebook PC	√	√				
762524-001	Heat sink for use only on computer models equipped with a graphics subsystem with AMD switchable discrete graphics, 19 W for use with HP Pavilion 15 Notebook PC computer models		√				
762525-001	TouchPad board (with bracket and cable) In Ash Silver for use with HP Pavilion 15 Notebook PC computer models	√					
762526-001	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√				
762526-501	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√				
762527-001	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC		\checkmark				
762527-501	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC		\checkmark				
762528-001	System board AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√				
762528-501	System board AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√				
762529-001	Top cover (includes keyboard and cable): With full size textured island-style Keyboard. and numeric keypad black for use in the United States		√				

Spare part number	Description	Regulatory Model Number					
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
762529-031	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom	√	√				
762529-041	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Germany	√	√				
762529-051	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in France	√	√				
762529-061	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Italy	√	\checkmark				
762529-071	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Spain	√	√				
762529-131	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Portugal	√	√				
762529-141	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Turkey	√	√				
762529-151	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Turkey	√	√				
762529-161	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Latin America		√				
762529-171	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia	√	√				
762529-211	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Hungary	√	√				
762529-251	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Russia	√	√				
762529-261	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Bulgaria	√	√				
762529-271	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Romania	√	√				
762529-281	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Thailand		√				

Spare part number	Description	Regulatory Model Number					
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
762529-291	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Japan		√				
762529-A41	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Europe	√	√				
762529-AB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Taiwan		√				
762529-AD1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in South Korea		√				
762529-B31	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for International use	√	√				
762529-BA1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in the Adriatics	√	√				
762529-BB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Israel	√	√				
762529-BG1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Switzerland	√	√				
762529-DB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Canada		√				
762529-DH1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in the Netherlands	√	√				
762529-FL1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia	√	√				
762529-FP1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad black for use in South Africa	√					
762530-001	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in the United States	√	√				
762530-031	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in the United Kingdom	√	√				
762530-041	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Germany	√	√	,			

Spare part number	Description	Regulato	mber		
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141
762530-051	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in France	√	√		
762530-061	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Italy	√	√		
762530-071	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Spain	√	1		
762530-131	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Portugal	√	√		
762530-141	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Turkey	√	√		
762530-151	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Greece	√	1		
762530-161	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Latin America		√		
762530-171	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Saudi Arabia	√	√		
762530-211	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Hungary	√	√		
762530-251	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Russia	√	√		
762530-261	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Bulgaria	√	√		
762530-271	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Romania	√	√		
762530-281	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Thailand	√	√		
762530-291	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Japan	√	√		
762530-A41	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Europe	√	√		

Spare part number	Description	Regulatory Model Number					
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
762530-AB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Taiwan	√	\checkmark				
762530-AD1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in South Korea	√	√				
762530-B31	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for International use	√	√				
762530-BA1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Adriatic	√	√				
762530-BB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Israel	√	√				
762530-BG1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Switzerland	√	√				
762530-DB1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Canada	√	√				
762530-DH1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in the Netherlands	√	√				
762530-FL1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Spain	√	√				
762530-FP1	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in South Africa	√					
762531-001	Top cover (includes keyboard and cable): With full size textured island-style Keyboard and numeric keypad White for use in Spain		√				
762531-501	System board AMD M260 A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√				
762532-001	System board AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√				
762532-501	System board AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√				
762544-001	Display panel full HD cable for non-Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	√	√				
762545-001	Webcamera/microphone module for Touchscreen models	√	√				

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
763100-001	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC in natural silver	\checkmark	√			
763101-001	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC in snow white	√	√			
763102-001	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC in vibrant red	√	√			
763103-001	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC in aqua blue	√	\checkmark			
763104-001	Rubber kit for HP Pavilion 15 Notebook PC	√	√			
763105-001	Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	√	\checkmark			
763420-001	System board AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√		
763420-501	System board AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC			\checkmark		
763421-001	System board AMD A4-6210 (1.8GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			\checkmark		
763421-501	System board AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC			√	,	
763422-001	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			\checkmark		
763422-501	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC			√		
763423-001	System board EI–6010 (1.35 GHz, 1 MB L2), dual 1 0W, Max DDR3L-1333 for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√		
763423-501	System board EI–6010 (1.35GHz, 1MB L2), Dual 10W, Max DDR3L-1333 for use with Windows Standard HP Pavilion 17 Notebook PC			√		
763424-001	System board AMD A76M FCH chipset, AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√		
763424-501	System board AMD A76M FCH chipset, AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC			√		
763425-001	System board AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√		

Spare part number	Description		Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
763425-501	System board AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PCC			1			
763426-001	Optical drive, DVD+/-RW DL SuperMulti Natural silver finish for use with Windows Standard HP Pavilion 17 Notebook PCC			√	√		
763427-001	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√			
763427-501	System board AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC			√			
763428-001	System board AMD A76M FCH chipset, AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC			√			
763428-501	System board AMD A76M FCH chipset, AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC			√			
763568-001	WLAN Antenna Kit for use with HP Pavilion 15 Notebook PC computer touch screen models (includes left and right wireless antenna cables and transceivers)	√	√				
763572-001	Display panel HD cable for non-Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	√	√				
763590-001	Display panel HD cable for non-Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	√	√				
763691-001	WLAN Antenna Kit for use with HP Pavilion 17 Notebook PC computer non-touch models (includes left and right wireless antenna cables and transceivers)			$\sqrt{}$	√		
763692-001	WLAN Antenna Kit for use with HP Pavilion 17 Notebook PC computer touch screen models (includes left and right wireless antenna cables and transceivers)			$\sqrt{}$	√		
763699-001	Power Connector for use with HP Pavilion 17 Notebook PC computer			√	√		
763706-001	Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC			√	√		
763708-001	Power button board (includes cable) for HP Pavilion 17 Notebook PC computer models			√	√		
763710-001	Battery Board (For use only with HP Pavilion 17 Computer models)			√	√		
763714-001	Rubber kit for HP Pavilion 17 Notebook PC			√	√		
763717-001	Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 17 Notebook PC computer models			√	√		

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
764080-001	Heat sink assembly for use only on computer models equipped with UMA graphics (includes replacement thermal material):			√		
764081-001	Base enclosure caps (Included in the plastics kit) for HP Pavilion 15 Notebook PC computer models	√	\checkmark			
764082-001	Heat sink assembly for use only on computer models equipped with UMA graphics (includes replacement thermal material):			√		
764083-001	Heat sink assembly for use only on computer models equipped with AMD processors and discrete graphics 25 W			√		
764622-001	Display panel 15.6 WLED AG HD Touchscreen with bezel (includes screws)	√	√			
764623-001	Display panel 15.6 WLED AG full HD SVA (includes screws)	√	√			
765356-001	Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC			√	√	
765773-001	Display back cover (includes screws) Snow white finish for HP Pavilion 17 Notebook PC			√	√	
765774-001	Display back cover (includes screws) aqua blue finish for HP Pavilion 17 Notebook PC			√	√	
765775-001	Display back cover (includes screws) natural silver finish for HP Pavilion 17 Notebook PC			√	√	
765776-001	Display back cover (includes screws) Vibrant red finish for HP Pavilion 17 Notebook PC			√	√	
765777-001	Display back cover (includes screws) Snow white finish, Touchscreen for HP Pavilion 17 Notebook PC			√	√	
765778-001	Display back cover (includes screws) Aqua blue finish, Touchscreen for HP Pavilion 17 Notebook PC			√	√	
765779-001	Display back cover (includes screws) Natural silver finish, Touchscreen for HP Pavilion 17 Notebook PC			√	√	
765780-001	Display back cover (includes screws) Vibrant red finish, Touchscreen for HP Pavilion 17 Notebook PC			√	√	
765781-001	Base enclosure Snow white finish for HP Pavilion 17 Notebook PC				√	
765782-001	Display bezel (includes screws)			√	√	
765785-001	Display panel SXGA cable for non-Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models			1	√	
765786-001	Display panel SXGA cable for Touchscreen models (includes webcamera/microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models			1	√	
765787-001	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket): Snow white finish			√	√	
765788-001	Fan for use with HP Pavilion 17 Notebook PC computer models			√	√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
765789-001	Base enclosure caps (Included in the plastics kit) for HP Pavilion 17 Notebook PC computer models			√	√	
765790-001	Screw Kit for HP Pavilion 17 Notebook PC			√	√	
765792-001	TouchPad board (with bracket and cable) In Ash Silver for HP Pavilion 17 Notebook PC				√	
765793-001	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket): aqua blue finish for HP Pavilion 17 Notebook PC			√	√	
765806-001	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in the United States			$\sqrt{}$	V	
765806-031	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom			√	√	
765806-041	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Germany			√	√	
765806-051	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in France			$\sqrt{}$	1	
765806-061	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Italy			√	V	
765806-071	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Spain			√	√	
765806-131	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Portugal			√		
765806-141	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Turkey			√	1	
765806-151	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Greece			√	√	
765806-171	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia				V	
765806-211	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Hungary			√	1	
765806-251	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Russia	,		√	√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
765806-261	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Bulgaria				V	
765806-271	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Romania			√	√	
765806-A41	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Belgium			\checkmark	V	
765806-B31	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for International use			√	V	
765806-BA1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Slovenia			√	V	
765806-BB1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Israel				V	
765806-BG1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Switzerland			√	V	
765806-DB1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Canada			√	√	
765806-DH1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Nordic regions			√	V	
765806-FL1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia			√	V	
765807-001	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the United States			√	V	
765807-031	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the United Kingdom			√	√	
765807-041	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Germany			√	√	
765807-051	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the France			√	√	
765807-061	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Italy			√	√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
765807-071	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Spain			√	V	
765807–131	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Portugal			√		
765807-141	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Turkey			√	√	
765807-151	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Greece			√	√	
765807-171	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Saudi Arabia				√	
765807-211	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Hungary			√	√	
765807-251	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Russia			√	√	
765807-261	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Bulgaria				√	
765807-271	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Romania			√	V	
765807-A41	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Belgium			$\sqrt{}$	V	
765807-B31	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for International use			√	√	
765807-BA1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Belgium			√	√	
765807-BB1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Israel				√	
765807-BG1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Switzerland			√	√	
765807-DB1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Canada			√	√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
765807-DH1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Nordic regions			√	√	
765807-FL1	Top cover for HP Pavilion 17 Notebook PC computer models with full size textured island-style Keyboard and numeric keypad white for use in the Czech and Slovackia			√	√	
766469-001	System board Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.6 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
766469-501	System board Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.6 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
766469-601	System board Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.6 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				
766472-001	System board Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
766472-501	System board Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	√				
766472-601	System board Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	√				
766473-001	System board Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
766473-501	System board Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
766473-601	System board Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				
766476-001	System board Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
766476-501	System board Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
766476-601	System Board Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
766480-001	System board Intel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
766480-501	System board Intel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	√				
766480-601	System board Intel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 15 Notebook PC	√				
766687-001	15.6 WLED AG full HD Touchscreen with bezel flat display panel (includes screws)	√	\checkmark			
766714-001	System board AMD A76M FCH chipset, AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√			
766714-501	System board AMD A76M FCH chipset, AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√			
766715-001	System board AMD A76M FCH chipset, AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√			
766715-501	System board AMD A76M FCH chipset, AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC		√			
766894-001	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket): vibrant red for HP Pavilion 15 Notebook PC			√	√	
766903-001	17.3 WLED AG HD touchscreen flat display panel (includes screws)			\checkmark	√	
766904-001	17.3 WLED AG BrightView HD flat display panel (includes screws)			√	√	
766905-001	17.3 WLED AG full HD flat display panel (includes screws)		,	√	√	
766906-001	17.3 WLED AG touchscreen full HD flat display panel (includes screws)			$\sqrt{}$	√	
766908-001	Base enclosure: aqua finish for use with HP 17 Notebook PC				√	
766909-001	Base enclosure: natural silver finish for use with HP 17 Notebook PC				√	
766910-001	Base enclosure: vibrant red finish for use with HP 17 Notebook PC				√	
767059-001	TouchPad board (with bracket and cable) in natural silver finish for use with HP 17 Notebook PC				√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
767120-001	USB board for use with HP Pavilion 17 Notebook PC computer models			√	√	
767339-001	Heat sink assembly for use only on computer models equipped with UMA graphics (includes replacement thermal material): For use only on computer models equipped with AMD processors and UMA graphics 19 W	√			√	
767340-001	Heat sink assembly for use only on computer models equipped with UMA graphics (includes replacement thermal material): For use only on computer models equipped with AMD processors and UMA graphics 19 W	√ √			√	
767341-001	Heat sink assembly for use only on computer models equipped with UMA graphics (includes replacement thermal material): For use only on computer models equipped with AMD processors and UMA graphics 8.5 W	√			√	
767409-001	System board Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				\checkmark	
767409-501	System board Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 1 Notebook PC available for Windows 8.1				√	
767410-001	System board Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				√	
767410-501	System board Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1				1	
767412-001	System board Intel Core i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (4 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				√	
767412-501	System board Intel Core i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (4 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC				√	
767413-001	System board Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				√	
767413-501	System board Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1				√	
767414-001	System board Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				√	
767414-501	System board Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1				√	

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
767415-001	System board Intel Core 830M i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				V	
767415-501	System board Intel Core 830M i3-4030U (1.9GHz), 1600MHz/ 3MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1				V	
773501-001	Hard Drive Hardware Kit, for HP Pavilion 17 Notebook PC		,	√	√	
774768-001	System board Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
774768-501	System board Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
774768-601	System board Intel Core i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				
774772-001	System board Intel Core 830M i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
774772-501	System board Intel Core 830M i3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
774772-601	System board Intel Core 830Mi3-4030U (1.9 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				
777194-001	Display back cover (includes screws): neon purple finish for HP Pavilion 17 Notebook PC			√	V	
777195-001	Display back cover (includes screws): neon purple finish for HP Pavilion 17 Notebook PC			$\sqrt{}$	√	
777196-001	Base enclosure: neon purple finish for HP Pavilion 17 Notebook PC				√	
777222-001	Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket) for HP Pavilion 17 Notebook PC neon purple			√	√	
778188-005	500 GB hard drive, 5400-RPM for use with HP Pavilion 15 Notebook PC available for Windows 8.1	√	\checkmark	√	√	
778190-005	750 GB hard drive, 5400-RPM available for Windows 8.1		V	√	√	
778192-005	1 TB Hard drive 5400 rpm, 9.5 mm available for Windows 8.1		√	√	√	
778258-001	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC		√			
778258-501	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Standard HP Pavilion 15 Notebook PC		√			

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
778258-601	AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Professional HP Pavilion 15 Notebook PC		√			
778259-001	Display back cover (includes screws), neon purple HP Pavilion 15 Notebook PC Intel computer model	√	√			
778260-001	Display back cover (includes screws), neon purple touchscreen HP Pavilion 15 Notebook PC Intel computer model	√	\checkmark			
778262-001	Optical drive hardware neon purple	√	√			
778263-001	Display back cover (includes screws): neon purple, touchscreen for use with Windows Professional HP Pavilion 15 Notebook PC					
778264-001	Base enclosure: neon purple for use with Windows Professional HP Pavilion 15 Notebook PC	√				
778265-001	Hard Drive Hardware Kit, for HP Pavilion 15 Notebook PC in neon purple	√	√			
778266-001	Optical drive Blu-ray Disc R/RW with SuperMulti for HP Pavilion 15 Notebook PC AMD models only		√			
778856–001	Optical drive Blu-ray Disc R/RW with SuperMulti for HP Pavilion 15 Notebook PC AMD models only		\checkmark	,		
778947-001	Intel Core 840M i7-4500U (1.8 GHz, SC turbo up to 3.0 GHz), 1600 MHz/ 2 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC				√	
778948-501	Intel Core 840M i5-4200U (1.6 GHz, SC turbo up to 2.6 GHz), 1600 MHz/2 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC				√	
779127-001	System board Intel Core i3-4005U (1.7GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux for use with HP Pavilion 17 Notebook PC				√	
779127-501	System board Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1				√	
779639-001	Back cover neon purple for use with Windows Standard HP Pavilion 15 Notebook PC	√	√			
779839-001	System board Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√				
779839-501	System board Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
779839-601	System board Intel Core i3-4005U (1.7 GHz), 1600 MHz/3 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√	,			

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
779840-001	System board Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W	√				
779840-501	System board Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	√				
779840-601	System board Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	√				
780084-001	Base enclosure snow white for use with AMD processors for use with HP Pavilion 7 Notebook PC			√		
780085-001	Base enclosure aqua blue for use with AMD processors for use with HP Pavilion 17 Notebook PC	,		√		
780086-001	Base enclosure natural silver for use with AMD processors for use with HP Pavilion 17 Notebook PC			√		
780087-001	Base enclosure vibrant red for use with AMD processors for use with HP Pavilion 17 Notebook PC			√		
780088-001	Base enclosure neon purple for use with AMD processors for use with HP Pavilion 17 Notebook PC			√		
780094-001	Base enclosure natural silver for use with Intel processors for use with HP Pavilion 15 Notebook PC		\checkmark			
780095-001	Base enclosure snow white for use with Intel processors for use with HP Pavilion 15 Notebook PC		√			
780096-001	Base enclosure vibrant red for use with Intel processors for use with HP Pavilion 15 Notebook PC		√			
780097-001	Base enclosure aqua blue for use with Intel processors for use with HP Pavilion 15 Notebook PC		√			
780098-001	Base enclosure neon pink for use with Intel processors		√			
780099-001	Base enclosure neon purple for use with Intel processors for use with HP Pavilion 15 Notebook PC		\checkmark			
780212-001	Heat sink 8.5 W discrete for use with Intel computer models	√				
781764-001	TouchPad board ash silver with cable for AMD computers			√		
781765-001	TouchPad board ano silver with cable for AMD computers			√		
781767-001	TouchPad board with bracket and cable in ano silver for AMD computers		\checkmark			
781768-001	TouchPad board with bracket and cable ano silver for AMD computers		√			
782940-001	System board Intel Pentium 830M N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	√				
782940-501	System board Intel Pentium 830M N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 17 Notebook PC	√				

Spare part number	Description	Regulatory Model Number					
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141		
782940-601	System board Intel Pentium 830M N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 17 Notebook PC	√					
784982-001	Heat spreader for use with Intel computer models	√					
787484-001	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC				V		
787484-501	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC				√		
787485-001	Intel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2 MB L2, dual SDP4.5 W for use with FreeDOS and Ubuntu Linux for use with Windows Standard HP Pavilion 17 Notebook PC				√		
787485-501	Intel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2MB L2, dual SDP4.5 W for use with Windows Standard HP Pavilion 17 Notebook PC				√		
787515-001	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√					
787515-501	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 17 Notebook PC	√					
787515-601	Intel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional	√					
787516-001	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	√					
787516-501	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	√					
787516-601	Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 15 Notebook PC	√					
788385-001	Base enclosure neon purple for use with Intel processors for use with HP Pavilion 15 Notebook PC	√		,			
790017-001	Display back cover (includes screws), touchscreen HP Pavilion 15 Notebook PC Intel computer model	√					
790018-001	Base enclosure for use with Intel processors for use with HP Pavilion 15 Notebook PC touchscreen computers	√					
790019-001	Optical drive hardware kit for touchscreen Intel computer models	√					
793076-001	System board Intel Core i5-4288U dual core 1.7 GHz for HP Pavilion 15 computer models with FreeDos and Ubuntu Linux	√					

Spare part number	Description	Regulatory Model Number				
		TPN- Q140	TPN- Q143	TPN- Q144	TPN- Q141	
793076-501	System board Intel Core i5-4288U dual core 1.7 GHz for HP Pavilion 15 computer models with Windows 8.1 Standard	\checkmark				
793076-601	System board Intel Core i5-4288U dual core 1.7 GHz for HP Pavilion 15 computer models with Windows 8.1 Professional	\checkmark				
793182-001	Heat sink for use only on computer models equipped with Intel processors and UMA graphics 28 W	\checkmark				

Removal and replacement procedures preliminary requirements

Tools required

You will need the following tools to complete the removal and replacement procedures:

- Flat-bladed screwdriver
- Magnetic screwdriver
- Phillips P0 and P1 screwdrivers

Service considerations

The following sections include some of the considerations that you must keep in mind during disassembly and assembly procedures.

NOTE: As you remove each subassembly from the computer, place the subassembly (and all accompanying screws) away from the work area to prevent damage.

Plastic parts

A CAUTION: Using excessive force during disassembly and reassembly can damage plastic parts. Use care when handling the plastic

Cables and connectors

A CAUTION: When servicing the computer, be sure that cables are placed in their proper locations during the reassembly process. Improper cable placement can damage the computer.

Cables must be handled with extreme care to avoid damage. Apply only the tension required to unseat or seat the cables during removal and insertion. Handle cables by the connector whenever possible. In all cases, avoid bending, twisting, or tearing cables. Be sure that cables are routed in such a way that they cannot be caught or snagged by parts being removed or replaced. Handle flex cables with extreme care; these cables tear easily.

Drive handling

↑ CAUTION: Drives are fragile components that must be handled with care. To prevent damage to the computer, damage to a drive, or loss of information, observe these precautions:

Before removing or inserting a hard drive, shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.

Before handling a drive, be sure that you are discharged of static electricity. While handling a drive, avoid touching the connector.

Before removing a diskette drive or optical drive, be sure that a diskette or disc is not in the drive and be sure that the optical drive tray is closed.

Handle drives on surfaces covered with at least one inch of shock-proof foam.

Avoid dropping drives from any height onto any surface.

Avoid exposing an internal hard drive to products that have magnetic fields, such as monitors or speakers.

Avoid exposing an internal hard drive to products that have magnetic fields, such as monitors or speakers.

Avoid exposing a drive to temperature extremes or liquids.

If a drive must be mailed, place the drive in a bubble pack mailer or other suitable form of protective packaging and label the package "FRAGILE."

Grounding guidelines

Electrostatic discharge damage

Electronic components are sensitive to electrostatic discharge (ESD). Circuitry design and structure determine the degree of sensitivity. Networks built into many integrated circuits provide some protection, but in many cases, ESD contains enough power to alter device parameters or melt silicon junctions.

A discharge of static electricity from a finger or other conductor can destroy static-sensitive devices or microcircuitry. Even if the spark is neither felt nor heard, damage may have occurred.

An electronic device exposed to ESD may not be affected at all and can work perfectly throughout a normal cycle. Or the device may function normally for a while, then degrade in the internal layers, reducing its life expectancy.

CAUTION: To prevent damage to the computer when you are removing or installing internal components, observe these precautions:

Keep components in their electrostatic-safe containers until you are ready to install them.

Before touching an electronic component, discharge static electricity by using the guidelines described in this section.

Avoid touching pins, leads, and circuitry. Handle electronic components as little as possible.

If you remove a component, place it in an electrostatic-safe container.

The following table shows how humidity affects the electrostatic voltage levels generated by different activities.

CAUTION: A product can be degraded by as little as 700 V.

Typical electrostatic voltage levels						
		Relative humidity				
Event	10%	40%	55%			
Walking across carpet	35,000 V	15,000 V	7,500 V			
Walking across vinyl floor	12,000 V	5,000 V	3,000 V			
Motions of bench worker	6,000 V	800 V	400 V			
Removing DIPS from plastic tube	2,000 V	700 V	400 V			
Removing DIPS from vinyl tray	11,500 V	4,000 V	2,000 V			
Removing DIPS from Styrofoam	14,500 V	5,000 V	3,500 V			
Removing bubble pack from PCB	26,500 V	20,000 V	7,000 V			
Packing PCBs in foam-lined box	21,000 V	11,000 V	5,000 V			

Packaging and transporting guidelines

Follow these grounding guidelines when packaging and transporting equipment:

- To avoid hand contact, transport products in static-safe tubes, bags, or boxes.
- Protect ESD-sensitive parts and assemblies with conductive or approved containers or packaging.
- Keep ESD-sensitive parts in their containers until the parts arrive at static-free workstations.
- Place items on a grounded surface before removing items from their containers.
- Always be properly grounded when touching a component or assembly.
- Store reusable ESD-sensitive parts from assemblies in protective packaging or nonconductive foam
- Use transporters and conveyors made of antistatic belts and roller bushings. Be sure that
 mechanized equipment used for moving materials is wired to ground and that proper materials
 are selected to avoid static charging. When grounding is not possible, use an ionizer to dissipate
 electric charges.

Workstation guidelines

Follow these grounding workstation guidelines:

- Cover the workstation with approved static-shielding material.
- Use a wrist strap connected to a properly grounded work surface and use properly grounded tools and equipment.
- Use conductive field service tools, such as cutters, screwdrivers, and vacuums.
- When fixtures must directly contact dissipative surfaces, use fixtures made only of staticsafe materials.
- Keep the work area free of nonconductive materials, such as ordinary plastic assembly aids and Styrofoam.
- Handle ESD-sensitive components, parts, and assemblies by the case or PCM laminate. Handle these items only at static-free workstations.
- Avoid contact with pins, leads, or circuitry.
- Turn off power and input signals before inserting or removing connectors or test equipment.

Equipment guidelines

Grounding equipment must include either a wrist strap or a foot strap at a grounded workstation.

- When seated, wear a wrist strap connected to a grounded system. Wrist straps are flexible straps with a minimum of one megohm ±10% resistance in the ground cords. To provide proper ground, wear a strap snugly against the skin at all times. On grounded mats with banana-plug connectors, use alligator clips to connect a wrist strap.
- When standing, use foot straps and a grounded floor mat. Foot straps (heel, toe, or boot straps)
 can be used at standing workstations and are compatible with most types of shoes or boots. On
 conductive floors or dissipative floor mats, use foot straps on both feet with a minimum of one
 megohm resistance between the operator and ground. To be effective, the conductive must be
 worn in contact with the skin.

The following grounding equipment is recommended to prevent electrostatic damage:

- Antistatic tape
- Antistatic smocks, aprons, and sleeve protectors
- Conductive bins and other assembly or soldering aids
- Nonconductive foam
- Conductive tabletop workstations with ground cords of one megohm resistance
- Static-dissipative tables or floor mats with hard ties to the ground
- Field service kits
- Static awareness labels
- Material-handling packages
- Nonconductive plastic bags, tubes, or boxes
- Metal tote boxes
- Electrostatic voltage levels and protective materials

The following table lists the shielding protection provided by antistatic bags and floor mats.

Material	Use	Voltage protection level
Antistatic plastics	Bags	1,500 V
Carbon-loaded plastic	Floor mats	7,500 V
Metallized laminate	Floor mats	5,000 V

5 Removal and replacement procedures for Customer Self-Repair parts

NOTE: The Customer Self-Repair program is not available in all locations. Installing a part not supported by the Customer Self-Repair program may void your warranty. Check your warranty to determine if Customer Self-Repair is supported in your location.

Component replacement procedures

- NOTE: HP continually improves and changes product parts. For complete and current information on supported parts for your computer, go to http://partsurfer.hp.com, select your country or region, and then follow the on-screen instructions.
- NOTE: Please read and follow the procedures described here to access and replace Customer Self-Repair parts successfully.
- NOTE: Details about your computer, including model, serial number, product key, and length of warranty, are on the service tag at the bottom of your computer. See <u>Bottom on page 16</u> for details.

This chapter provides removal and replacement procedures for Customer Self-Repair parts.

There may be as many as five screws that must be removed, replaced, and/or loosened when servicing Customer Self-Repair parts. Make special note of each screw size and location during removal and replacement.

Battery


Description	Spare part number
4-cell, 41 WHr 2.8AH Li-ion battery	756743-001

Before removing the battery, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.

Remove the battery:

- 1. Turn the computer upside down on a flat surface.
- 2. Slide the battery lock latch (1) and then slide the battery release latch (2) to release the battery.
 - NOTE: The battery release latch automatically returns to its original position.
- 3. Pivot the battery upward (3), and then remove the battery from the computer (4).



Reverse this procedure to install the battery.

Optical drive

NOTE: The optical drive spare part kit includes the optical drive connector board and cable. The optical drive connector board and cable are removed when removing the system board and not part of the customer replacement procedure of the optical drive.


Description	Spare part number
Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive be	zel and bracket):
For HP Pavilion 17 Notebook PC	
Aqua blue finish	765793-001
Natural silver finish	763426-001
Snow white finish	765787-001
Vibrant red finish	766894-001
Neon purple finish	777222-001
For HP Pavilion 15 Notebook PC	
Optical drive, DVD+/-RW DL SuperMulti (includes optical drive hardware kit with optical drive bezel and bracket):	762503-001
Blu-ray Disc R/RW with SuperMulti fo AMD models only	778266-001
Aqua blue finish	765793-001
Natural silver finish	763426-001
Optical drive board natural silver	778856-001
Optical Drive Hardware Kit,	
For HP Pavilion 15 Notebook PC in twinkle black	790019-001
For HP Pavilion 15 Notebook PC in neon pink	778262-001
For HP Pavilion 15 Notebook PC in neon purple	778265-001
For HP Pavilion 15 Notebook PC in neon purple	778856-001
For HP Pavilion 15 Notebook PC in natural silver	763100-001
For HP Pavilion 15 Notebook PC in snow white	763101-001
For HP Pavilion 15 Notebook PC in aqua blue	763103-001
For HP Pavilion 15 Notebook PC in vibrant red	763102-001

Before removing the optical drive, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).

Remove the optical drive:

- 1. Remove the screw (1) that secures the optical drive to the computer.
- 2. Use a flat tool to press on the optical drive bracket tab (2) to release the optical drive.



- 3. Remove the optical drive from the computer.
- **4.** If it is necessary to replace the optical drive bracket, position the optical drive with the rear panel toward you.
- 5. Remove the two screws (1) that secure the optical drive bracket to the optical drive.
- 6. Remove the optical drive bracket (2).



Reverse this procedure to reassemble and install the optical drive.

6 Removal and replacement procedures for Authorized Service Provider parts

NOTE: HP continually improves and changes product parts. For complete and current information on supported parts for your computer, go to http://partsurfer.hp.com, select your country or region, and then follow the on-screen instructions.

Component replacement procedures

NOTE: Details about your computer, including model, serial number, product key, and length of warranty, are on the service tag at the bottom of your computer. See <u>Bottom on page 16</u> for details.

This chapter provides removal and replacement procedures for Authorized Service Provider only parts.

There are as many as 83 screws that must be removed, replaced, and/or loosened when servicing Authorized Service Provider only parts. Make special note of each screw size and location during removal and replacement.

Base enclosure

Description	Spare part number
Top cover for HP Pavilion 15 Notebook PC computer models:	
With full size textured island-style Keyboard. Touchpad and numeric keypad black for use in the United States	762529-001
With full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom	762529-031
With full size textured island-style Keyboard and numeric keypad black for use in Germany	762529-041
With full size textured island-style Keyboard and numeric keypad black for use in France	762529-051
With full size textured island-style Keyboard and numeric keypad black for use in Italy	762529-061
With full size textured island-style Keyboard and numeric keypad black for use in Spain	762529-071
With full size textured island-style Keyboard and numeric keypad black for use in Portugal	762529-131
With full size textured island-style Keyboard and numeric keypad black for use in Turkey	762529-141
With full size textured island-style Keyboard and numeric keypad black for use in Greece	762529-151
With full size textured island-style Keyboard and numeric keypad black for use in Latin America	762529-161
With full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia	762529-171
With full size textured island-style Keyboard and numeric keypad black for use in Hungary	762529-211
With full size textured island-style Keyboard and numeric keypad black for use in Russia	762529-251
With full size textured island-style Keyboard and numeric keypad black for use in Bulgaria	762529-261
With full size textured island-style Keyboard and numeric keypad black for use in Romania	762529-271
With full size textured island-style Keyboard and numeric keypad black for use in Thailand	762529-281
With full size textured island-style Keyboard and numeric keypad black for use in Japan	762529-291
With full size textured island-style Keyboard and numeric keypad black for use in Europe	762529-A41
With full size textured island-style Keyboard and numeric keypad black for use in Taiwan	762529-AB1
With full size textured island-style Keyboard and numeric keypad black for use in South Korea	762529-AD1
With full size textured island-style Keyboard and numeric keypad black for International use	762529-B31
With full size textured island-style Keyboard and numeric keypad black for use in the Adriatics	762529-BA1
With full size textured island-style Keyboard and numeric keypad black for use in Israel	762529-BB1
With full size textured island-style Keyboard and numeric keypad black for use in Switzerland	762529-BG1
With full size textured island-style Keyboard and numeric keypad black Canada	762529-DB1
With full size textured island-style Keyboard and numeric keypad black for use in the Netherlands	762529-DH1
With full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia	762529-FL1
With full size textured island-style Keyboard and numeric keypad black for use in South Africa	762529-FP1
With full size textured island-style Keyboard, TouchPad, and numeric keypad white for use in the United States	762530-001

Description	Spare part number
With full size textured island-style Keyboard and numeric keypad white for use in the United Kingdom	762530-031
With full size textured island-style Keyboard and numeric keypad white for use in Germany	762530-041
With full size textured island-style Keyboard and numeric keypad white for use in France	762530-051
With full size textured island-style Keyboard and numeric keypad white for use in Italy	762530-061
With full size textured island-style Keyboard and numeric keypad white for use in Spain	762530-071
With full size textured island-style Keyboard and numeric keypad white for use in Portugal	762530-131
With full size textured island-style Keyboard and numeric keypad white for use in Turkey	762530-141
With full size textured island-style Keyboard and numeric keypad white for use in Greece	762530-151
With full size textured island-style Keyboard and numeric keypad white for use in Latin America	762530-161
With full size textured island-style Keyboard and numeric keypad white for use in Saudi Arabia	762530-171
With full size textured island-style Keyboard and numeric keypad white for use in Hungary	762530-211
With full size textured island-style Keyboard and numeric keypad white for use in Russia	762530-251
With full size textured island-style Keyboard and numeric keypad white for use in Bulgaria	762530-261
With full size textured island-style Keyboard and numeric keypad white for use in Romania	762530-271
With full size textured island-style Keyboard and numeric keypad white for use in Thailand	762530-281
With full size textured island-style Keyboard and numeric keypad white for use in Japan	762530-291
With full size textured island-style Keyboard and numeric keypad white for use in Europe	762530-A41
With full size textured island-style Keyboard and numeric keypad white for use in Taiwan	762530-AB1
With full size textured island-style Keyboard and numeric keypad white for use in South Korea	762530-AD1
With full size textured island-style Keyboard and numeric keypad white for International use	762530-B31
With full size textured island-style Keyboard and numeric keypad white for use in the Adriatics	762530-BA1
With full size textured island-style Keyboard and numeric keypad white for use in Israel	762530-BB1
With full size textured island-style Keyboard and numeric keypad white for use in Switzerland	762530-BG1
With full size textured island-style Keyboard and numeric keypad white for use in Canada	762530-DB1
With full size textured island-style Keyboard and numeric keypad white for use in the Netherlands	762530-DH1
With full size textured island-style Keyboard and numeric keypad white for use in Czech and Slovakia	762530-FL1
With full size textured island-style Keyboard and numeric keypad white for use in South Africa	762530-FP1
With full size textured island-style Keyboard, TouchPad and numeric keypad Beats Audio for use in the United States	762533-001
With full size textured island-style Keyboard and numeric keypad Beats Audio for use in the United Kingdom	762533-031
With full size textured island-style Keyboard and numeric keypad Beats Audio for use in France	762533-051

Description	Spare part number
With full size textured island-style Keyboard and numeric keypad Beats Audio in Latin America	762533-161
With full size textured island-style Keyboard and numeric keypad Beats Audio for use in Russia	762533-251
With full size textured island-style Keyboard and numeric keypad Beats Audio for International use	762533-B31
Nith full size textured island-style Keyboard, TouchPad and numeric keypad Beats Audio for use n Slovenia	762533-BA1
Nith full size textured island-style Keyboard and numeric keypad Beats Audio for use in Canada	762533-DB1
Nith full size textured island-style Keyboard and numeric keypad Beats Audio for use in the Netherlands	762533-DH1
Nith full size textured island-style Keyboard and numeric keypad Beats Audio for use in Czech and Slovackia	762533-FL1
Top cover for HP Pavilion 17 Notebook PC computer models:	
Nith full size textured island-style Keyboard and numeric keypad black for use in the United States	765806-001
Nith full size textured island-style Keyboard and numeric keypad black for use in the United Kingdom	765806-031
Nith full size textured island-style Keyboard and numeric keypad black for use in Germany	765806-041
Nith full size textured island-style Keyboard and numeric keypad black for use in France	765806-051
Nith full size textured island-style Keyboard and numeric keypad black for use in Italy	765806-061
Nith full size textured island-style Keyboard and numeric keypad black for use in Spain	765806-071
Nith full size textured island-style Keyboard and numeric keypad black for use in Portugal	765806-131
With full size textured island-style Keyboard and numeric keypad black for use in Turkey	765806-141
Nith full size textured island-style Keyboard and numeric keypad black for use in Greece	765806-151
Nith full size textured island-style Keyboard and numeric keypad black for use in Saudi Arabia	765806-171
Nith full size textured island-style Keyboard and numeric keypad black for use in Hungary	765806-211
Nith full size textured island-style Keyboard and numeric keypad black for use in Russia	765806-251
Nith full size textured island-style Keyboard and numeric keypad black for use in Bulgaria	765806-261
Nith full size textured island-style Keyboard and numeric keypad black for use in Romania	765806-271
Nith full size textured island-style Keyboard and numeric keypad black for use in Belgium	765806-A41
With full size textured island-style Keyboard and numeric keypad black for International use	765806-B31
Nith full size textured island-style Keyboard and numeric keypad black for use in Slovenia	765806-BA1
Nith full size textured island-style Keyboard and numeric keypad black for use in Israel	765806-BB1
Nith full size textured island-style Keyboard and numeric keypad black for use in Switzerland	765806-BG1
Nith full size textured island-style Keyboard and numeric keypad black for use in Canada	765806-DB1
With full size textured island-style Keyboard and numeric keypad black for use in Nordic regions	765806-DH1
With full size textured island-style Keyboard and numeric keypad black for use in Czech and Slovackia	765806-FL1

Description	Spare part number
With full size textured island-style Keyboard and numeric keypad white for use in the United States	765807-001
With full size textured island-style Keyboard and numeric keypad white for use in the United Kingdom	765807-031
With full size textured island-style Keyboard and numeric keypad white for use in Germany	765807-041
With full size textured island-style Keyboard and numeric keypad white for use in France	765807-051
With full size textured island-style Keyboard and numeric keypad black for use in Italy	765807-061
With full size textured island-style Keyboard and numeric keypad white for use in Spain	765807-071
With full size textured island-style Keyboard and numeric keypad white for use in Portugal	765807-131
With full size textured island-style Keyboard and numeric keypad white for use in Turkey	765807-141
With full size textured island-style Keyboard and numeric keypad white for use in Greece	765807-151
With full size textured island-style Keyboard and numeric keypad white for use in Saudi Arabia	765807-171
With full size textured island-style Keyboard and numeric keypad white for use in Hungary	765807-211
With full size textured island-style Keyboard and numeric keypad white for use in Russia	765807-251
With full size textured island-style Keyboard and numeric keypad white for use in Bulgaria	765807-261
With full size textured island-style Keyboard and numeric keypad white for use in Romania	765807-271
Nith full size textured island-style Keyboard and numeric keypad white for use in Belgium	765807-A41
With full size textured island-style Keyboard and numeric keypad white for International use	765807-B31
With full size textured island-style Keyboard and numeric keypad white for use in Slovenia	765807-BA1
With full size textured island-style Keyboard and numeric keypad white for use in Israel	765807-BB1
With full size textured island-style Keyboard and numeric keypad white for use in Switzerland	765807-BG1
With full size textured island-style Keyboard and numeric keypad white for use in Canada	765807-DB1
With full size textured island-style Keyboard and numeric keypad white	765807-DH1
With full size textured island-style Keyboard and numeric keypad white for use in Nordic regions	765807-FL1
Base enclosure	
For use on HP Pavilion 17 Notebook PC computer models	
Aqua blue finish	766908-001
Natural silver finish	766909-001
Snow white finish	765781-001
Vibrant red finish	766910-001
Neon purple	777196-001
Snow white for use with AMD processors	780084-001
Aqua blue for use with AMD processors	780085-001
Natural silver for use with AMD processors	780086-001
	780087-001


Description	Spare part number
Neon purple for use with AMD processors	780088-001
For use on HP Pavilion 15 Notebook PC computer models	
Aqua blue finish	762501-001
Natural silver finish	762498-001
Snow white finish	762499-001
Vibrant red finish	762500-001
Neon purple	778264-001
Natural silver for use with Intel processors	780094-001
Snow white for use with Intel processors	780095-001
Vibrant red for use with Intel processors	780096-001
Aqua blue for use with Intel processors	780097-001
Neon pink for use with Intel processors	780098-001
Neon purple for use with Intel processors	780099-001
For use with HP Pavilion 15 Notebook PC touchscreen computers	790018-001
For use with Intel processors for use with HP Pavilion 15 Notebook PC	788385-001
Neon purple	777196-001
Base enclosure caps	
For HP Pavilion 17 Notebook PC computer models	765789-001
For HP Pavilion 15 Notebook PC computer models	764081-001

Before disassembling the computer, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- Remove the optical drive.

Remove the base enclosure:


1. Turn the computer face down, and remove the rubber feet (1), the two screws (2) and lift the end caps (3).




2. Remove the ten Phillips screws.



3. Remove five screws (1) around the battery area, three broadhead screws (2) in the optical drive bay and one screw (3) near the display hinge.





4. Turn the computer right side up and carefully remove the top cover.



NOTE: Use a thin, non-conductive tool to lift the top cover..

- 5. Carefully disconnect the following cables:
 - Power button cable (1)
 - Keyboard cable (2)
 - TouchPad cable (3)

Lift the top cover (4) to remove it from the computer.



Reverse this procedure to install the top cover and base enclosure.

Display panel

Component	Spare part number
Display bezel (includes screws) for HP Pavilion 17 Notebook PC	765782-001
Display bezel (includes screws) for HP Pavilion 15 Notebook PC	762512-001
Display Hinge Kit (includes left and right hinges and screws)	
For HP Pavilion 17 Notebook PC	
Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	763706-001
Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	765356-001
For HP Pavilion 15 Notebook PC	
Display Hinge Kit, non-touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	762520-001
Display Hinge Kit, touchscreen (includes left and right hinges and screws) for HP Pavilion 17 Notebook PC	763105-001
15.6 LED BrightView HD SVA HD, WLED, SVA flat display panel available for Windows 8.1 (includes screws)	762513-001
15.6 WLED AG HD Touchscreen with bezel (includes screws)	764622-001
15.6 WLED AG full HD SVA (includes screws)	764623-001
15.6 WLED AG full HD Touchscreen with bezel flat display panel (includes screws)	766687-001
17.3 WLED AG HD touchscreen flat display panel flat display panel (includes screws)	766903-001
17.3 WLED AG BrightView HD flat display panel (includes screws)	766904-001
17.3 WLED AG full HD flat display panel (includes screws)	766905-001
17.3 WLED AG touchscreen full HD flat display panel (includes screws)	766906-001
Antenna Kit (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 15 Notebook PC	762518-001
Antenna Kit (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 17 Notebook PC	763568-001
Antenna Kit (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 17 Notebook PC	763691-001
Antenna Kit, Touchscreen (includes left and right wireless antenna cables and transceivers and screws) for HP Pavilion 15 Notebook PC	763692-001
Display panel SXGA cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models	765785-001
Display panel SXGA cable for Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 17 Notebook PC computer models	765786-001
Display panel HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	762519-001
Display panel full HD cable for Touchscreen models (includes webcamera/ microphone module cable	e 763590-001


Component	Spare part number
Display panel full HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	762544-001
Display panel HD cable for non-Touchscreen models (includes webcamera/ microphone module cable and screws) for HP Pavilion 15 Notebook PC computer models	763572-001
Display back cover (includes screws):	
For HP Pavilion 17 Notebook PC	
Aqua blue finish	765774-001
Natural silver finish	765775-001
Snow white finish	765773-001
Vibrant red finish	765776-001
Neon purple finish	777194-001
Aqua blue finish, Touchscreen	765778-001
Natural silver finish, Touchscreen	765779-001
Snow white finish, Touchscreen	765777-001
Vibrant red finish, Touchscreen	765780-001
Neon purple finish, Touchscreen	777195-001
For HP Pavilion 15 Notebook PC	
Aqua blue finish	762511-001
Natural silver finish	762508-001
Snow white finish	762509-001
Vibrant red finish	762510-001
Neon purple finish	779639–001
Aqua blue finish, Touchscreen	762517-001
Natural silver finish, Touchscreen	762514-001
Snow white finish, Touchscreen	762515-001
Vibrant red finish, Touchscreen	762516-001
Neon purple finish, Touchscreen	778263-001
Twinkle black	790017-001
Neon Pink	778259-001
Neon Pink, touchscreen	778260-001
Webcamera/Microphone	
Webcamera/microphone module (includes adhesive and screws)	762521-001
Webcamera/microphone module, Touchscreen (includes adhesive and screws)	762545-001

Before removing the display panel, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>).

Remove the display panel:


- 1. Open the computer.
- 2. Disengage the display cable (1) and disconnect the display connector (2) on the left side base of the display panel.
- 3. On the right side, disconnect the WLAN cable (3) and carefully remove the cable from the retaining tabs (4).




- 4. Remove the power connector cover by removing the Phillips screw (1) and lifting the cover (2).
- NOTE: The power connector cover has two screws, however, the screw on the left is removed during the base enclosure and top cover removal process. Removing the cover is required for the display panel removal.
- NOTE: You will remove the power connector after you have removed the system board. This procedure is to remove the power connector cover.




- 5. Remove the six Phillips screws (1) on the left and one broadhead screw (2) on the right side base of the display panel. Lift the panel up (3).
- NOTE: Support the display panel as you are removing the screws.




6. Open the panel cover (1), swivel the display panel hinges (2) on both sides and then tilt up the display panel hinge (3) to release it.




7. Loosen the edges of the back cover (1), (2), and (3) from all four sides of the display bezel and lift the display panel (4).






- 8. To remove the raw panel, remove the six Phillips screws (1) and any adhesive that secures the display panel to the back cover and lift the display panel (2) carefully.
 - NOTE: Depending on your specific model, some computers only have four display panel screws.




- Remove the display panel side bracket (select models only) by removing the four Phillips screws
 and releasing the side bracket (2).
- NOTE: If your computer model does not have side brackets, skip to the next step.




10. If it is necessary to remove the display panel cable or access the webcamera and microphone, follow these steps. With the display bezel upside down, disconnect the cable from the webcamera/microphone (1) and from the routing channel built into the back cover.


Carefully release the cable from the channel guides, the guides in the display hinge, and remove the display panel cable (2). Lift the cable (3) to remove it.




11. On select models, removing the cable also requires disengaging it from the channels in the hinges and disconnecting from the display panel. To disconnect the cable from the display panel, carefully remove the foil tape at the bottom of the display panel and then carefully lift the display cable connector (1) and remove the display connector (2).



12. If it is necessary to replace the webcamera/microphone perform the following: Lift the module (1) from the adhesive holding it in place on the display bezel and disconnect the module connector (2) if you have not already done so when removing the display cable.




- 13. If it is necessary to replace the WLAN antenna cable, follow these procedures:
 - a. Position the display back cover face up.
 - **b.** Remove the display brackets by removing the eight Phillips and broadhead screws (1) securing the hinge brackets to the back cover, and then lift the brackets (2) to remove them.



c. Release the wireless antenna transceivers **(1)** from the display bezel. (The wireless antenna transceivers are attached to the display bezel with double-sided tape.)

d. Remove the wireless antenna from the retaining channels (2), and lift the antenna (3)



Reverse this procedure to install the display panel.

WLAN module

Description	Spare part number
Realtek RT8188EE 802.11 bgn 1x1 Wi-Fi adapter, for use only on computer models equipped with Intel processors for HP Pavilion 17 and 15 Notebook PC computer models	709848-005
Broadcom BCM43142 802.11 bgn 1x1 Wi-Fi + BT4.0 HMC combo adapter, for use only on computer models equipped with Intel processors for HP Pavilion 17 and 15 Notebook PC computer models available for Windows 8.1	753076-005
Intel Dual Band Wireless-AC 3160 802.11 ac 1x1 WiFi + BT 4.0 combo adapter, for use only on computer models equipped with Intel processors for HP Pavilion 17 and 15 Notebook PC computer models	710662-005
Realtek RT8723BE 802.11bgn 1x1 Wi-Fi + BT4.0 Combo Adapter for HP Pavilion 17 Notebook PC computer models available for Windows 8.1	753077-005
RTL8188EE 802.11BGN 1x1 available for Windows 8.1	709848-005
Broadcom BCM 4352 WLAN 802.11 AC+BT4 2x2HMC for HP Pavilion 15 AMD computer models available for Windows 8.1	724935-005


Before removing the WLAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- 6. Remove the base enclosure and top cover (see <u>Base enclosure on page 70</u>).


Remove the WLAN module:

- 1. Disconnect the #1 and #2 WLAN antenna cables from the WLAN module (1) if you have not already done so to remove the display panel..
- NOTE: The WLAN module may have two screws depending on the model.
- NOTE: The #1 WLAN antenna cable is connected to the WLAN module #1 main terminal. The #2 WLAN antenna cable is connected to the WLAN module #2 auxiliary terminal.
- Remove the Phillips PM screw(s) (2) that secure the WLAN module to the system board. (The WLAN module tilts up.)

3. Remove the WLAN module by pulling the module away from the slot at an angle (3).



NOTE: If the WLAN antennas are not connected to the terminals on the WLAN module, the protective sleeves must be installed on the antenna connectors, as shown in the following illustration.



TouchPad button board

Description	Spare part number
For HP Pavilion 15 Notebook PC Intel computer models	
In Ano silver	762506-001
In ash silver	762525-001
For HP Pavilion 15 Notebook PC AMD computer models	
In Ano silver	781767-001
In ash silver	781768-001
For HP Pavilion 17 Notebook PC Intel computer models	
In ash silver	765792-001
In natural silver	767059-001
For HP Pavilion 17 Notebook PC AMD computer models	
In Ano Silver	781764-001
In Ash Silver	781765–001
TouchPad board with bracket and cable in ano silver for AMD computers	781767-001
TouchPad board with bracket and cable ano silver for AMD computers	781768-001


Before removing the TouchPad button board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- 6. Remove the top cover from the base enclosure (see Base enclosure on page 70).

Remove the TouchPad button board:

- 1. Turn the top cover upside down, with the front toward you.
- Remove the two broadhead screws (1) that secure the TouchPad button board bracket to the top cover.
- NOTE: Some models may have three screws for the TouchPad button board (1).

3. Remove the TouchPad board by carefully pushing the TouchPad down (2) and routing the cable through the opening (3) (the cable was disconnected earlier from the top cover).



Reverse this procedure to install the TouchPad button board.

Battery Board (select models only)

Description	Spare part number
Battery board for HP Pavilion 17 Notebook PC	763710-001

The battery board is for select HP Pavilion 17 Notebook PC computer models.


Before removing the battery board, follow these steps:

- Disconnect all external devices connected to the computer.
- 2. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 3. Remove the battery (see <u>Battery on page 65</u>).
- 4. Remove the optical drive.
- 5. Remove the base enclosure and top cover (see Base enclosure on page 70).

Remove the battery board:

- Turn the computer, with the front edge toward you.
- 2. Remove the two screws (1).

3. Lift the battery board (2) to remove it.



Reverse this procedure to install the battery board.

Optical drive connector

NOTE: The optical drive connector and cable are included in the optical drive spare part kit. (See the Optical drive removal for more information for the spare part kit information.)

Before removing the optical drive connector board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- 6. Remove the base enclosure and top cover (see <u>Base enclosure on page 70</u>).

Remove the optical drive connector board:

▲ Disconnect the cable from the ZIF connector (1), and then disconnect the optical drive connector (2) from the tabs to remove it.



Reverse this procedure to install the optical drive connector board.

USB board


Description	Spare part number
USB board for use with HP Pavlion 17 Notebook PC computer models	767120-001
USB board for use with HP Pavlion 15 Notebook PC computer models	762497-001

Before removing the USB board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- 6. Remove the base enclosure and top cover (see <u>Base enclosure on page 70</u>).

Remove the USB board and cables:

- 1. Disconnect the USB cable from the ZIF connector (1).
- 2. Remove the Phillips screw securing the USB board (2), and lift the USB board (3) to remove it.



Reverse this procedure to install the USB board and cables.

Hard drive


Description	Spare part number
1 TB, 5400 rpm, 9.5 mm	778192-005
750 GB, 5400 rpm, 9.5 mm	778190-005
500 GB 5400 rpm 9.5 mm	778188-005
500 GB 5400 rpm 7 mm hybrid	732000-005
1 TB, 5400 rpm 9.5 mm	731999-005
750 GB 5400 rpm + 8 GB NAND hybrid, 9.5 mm	732001-005
500 GB 5400 rpm + 8 GB NAND hybrid, 7 mm	732000-005
1.5 TB, 5400 rpm 9.5 mm for HP Pavilion 15 Notebooks and AMD computers only	747375-005
Hard Drive Hardware Kit, for HP Pavilion 17 Notebook PC	773501-001

Before removing the hard drive, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>).
- 5. Remove the optical drive.
- 6. Remove the base enclosure and top cover (see <u>Base enclosure on page 70</u>).
- 7. Remove the USB connector cable (see USB board on page 93).


Remove the primary hard drive:

▲ Disconnect the hard drive cable from the system board (1), and then tilt the hard drive (2) and lift to remove it (3).



If it is necessary to disassemble the hard drive:

A Remove the hard drive cable (1), and then remove the hard drive bracket (2).



Reverse these procedures to reassemble and install the hard drive.

System board

NOTE: The system board spare part kit includes replacement thermal material.

Description	Spare part number
For computer models equipped with Intel processors and UMA graphics	,
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767409-001
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767409-501
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766469-001

Description	Spare part number
ntel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	766469-501
ntel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3.0 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	766469-601
ntel Core i3-4030U (1.9GHz), 1600MHz/3 MB L3, Dual 1 5W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767410-001
ntel Core i3-4030U (1.9GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767410-501
ntel Core i3-4030U (1.9GHz), 1600MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu inux HP Pavilion 15 Notebook PC	774768-001
ntel Core i3-4030U (1.9GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	774768-501
ntel Core i3-4030U (1.9GHz), 1600MHz/3M B L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	774768-601
ntel Core i3-4010U 1.7 GHz processor (3.0 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766471-001
ntel Core i3-4010U 1.7 GHz processor (3.0 MB L3 cache, dual core, 15 W) for use with Vindows Professional HP Pavilion 15 Notebook PC	766471-601
ntel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use vith FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	787515-001
ntel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 17 Notebook PC	787515-501
ntel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	787515-601
ntel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766480-001
ntel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766480-501
ntel Pentium N3530, turbo up to 2.58 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use with Vindows Standard HP Pavilion 15 Notebook PC	766480-601
ntel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use vith FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	787484-001
ntel Pentium N3540, 2.16 turbo up to 2.66 GHz (2 MB L2 cache, quad core, SDP 4.5 W) for use vith Windows Standard HP Pavilion 15 Notebook PC	787484-501
ntel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2 MB L2, dual SDP4.5 W for use with FreeDOS and Ubuntu Linux for use with Windows Standard HP Pavilion 17 Notebook PC	787485-001
ntel Celeron N2840 (2.16 up to 2.58 GHz) 1333 MHz/2MB L2, dual SDP4.5 W for use with Vindows Standard HP Pavilion 17 Notebook PC	787485-501
ntel Core i3-4005U (1.7 GHz), 1600MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu inux HP Pavilion 15 Notebook PC	779839-001
ntel Core i3-4005U (1.7 GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Standard IP Pavilion 15 Notebook PC available for Windows 8.1	779839-501
ntel Core i3-4005U (1.7 GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	779839-601

Description	Spare part number
Intel Core i3-4005U (1.7GHz), 1600MHz/3 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux	779127-001
Intel Core i3-4005U (1.7GHz), 1600MHz/3 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	779127-501
For computer models equipped with Intel processors and discrete switchable graphics	
Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767412-001
Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767412-501
Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766472-001
Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766472-501
Intel Core 840M i7-4510U 2.0 GHz processor, SC turbo up to 3.1 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766472-601
Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767413-001
ntel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767413-501
ntel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766473-001
ntel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766473-501
Intel Core 840M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766473-601
ntel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767414-001
ntel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	767414-501
ntel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766476-001
Intel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766476-501
ntel Core 830M i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (2 MB L3 cache, dual core, 15 W) for use with Windows Professional HP Pavilion 15 Notebook PC	766476-601
ntel Core 830M i3-4030U (1.9GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Jbuntu Linux HP Pavilion 17 Notebook PC	767415-001
ntel Core 830M i3-4030U (1.9GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767415-501
ntel Core 830M i3-4030U (1.9GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Jbuntu Linux HP Pavilion 15 Notebook PC	774772-001
ntel Core 830M i3-4030U (1.9GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 15 Notebook PC	774772-501

Description	Spare part number
Intel Core 830Mi3-4030U (1.9GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	774772-601
Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	779840-001
Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	779840-501
Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC available for Windows 8.1	779840-601
Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	787516-001
Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Standard HP Pavilion 15 Notebook PC	787516-501
Intel Pentium 830 N3540, 2.16 turbo up to 2.66 GHz discrete processor (2 MB L2 cache, quad core, SDP 4.5 W) for use with Windows Professional HP Pavilion 15 Notebook PC	787516-601
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766473-001
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) available for Windows 8.1	766473-501
Intel Core i5-4210U 1.7 GHz processor, SC turbo up to 2.7 GHz (3 MB L3 cache, dual core, 15 W) available for Windows 8.1 Professional	766473-601
Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, Dual 15W for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	767415-001
Intel Core 830M i3-4030U (1.9 GHz), 1600MHz/2 MB L3, Dual 15W for use with Windows Standard HP Pavilion 17 Notebook PC available for Windows 8.1	767415-501
Intel Core 830 M i3-4005U (1.7 GHz), 1600MHz/2 MB L3, Dual 15 W available for FreeDOS and Ubuntu Linux	779840-001
Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Standard HP Pavilion 15 Notebook PC available for Windows 8.1	779840-501
Intel Core 830 M i3-4005U (1.7 GHz), 1600 MHz/2 MB L3, dual 15 W for use with Windows Professional HP Pavilion 15 Notebook PC	779840-601
For computer models equipped with AMD processors and UMA graphics	
AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763420-001
AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763420-501
AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762527-001
AMD A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762527-501
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763422-001
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763422-501

Description	Spare part number
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762526-001
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762526-501
AMD A4-6210 (1.8GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763421-001
AMD A4-6210 (1.8GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763421-501
AMD A4-6210 (1.8GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762528-001
AMD A4-6210 (1.8GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762528-501
EI–6010 (1.35GHz, 1MB L2), Dual 10W, Max DDR3L-1333 for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763423-001
EI–6010 (1.35GHz, 1MB L2), Dual 10W, Max DDR3L-1333 for use with Windows Standard HP Pavilion 17 Notebook PC	763423-001
AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763424-001
AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763424-501
AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766714-001
AMD A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766714-501
AMD A8-5545M W8STD for use with Windows Standard HP Pavilion 15 Notebook PC	766713-501
AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L), quad core, 15 W or use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763421-001
AMD A4-6210 (1.8 GHz, 2 MB L2, 1600 MHz DDR3L), quad core, 15 W for use with Windows Standard HP Pavilion 17 Notebook PC	763421-001
For computer models equipped with AMD processors and Discrete graphics	
AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763425-001
AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763425-501
AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762532-001
AMD M260 A6-6310 (2.4 GHz/1.8 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762532-501
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763427-001
AMD A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763427-501
AMD M260 A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	762531-001

Description	Spare part number
AMD M260 A8-6410 (2.4 GHz/2.0 GHz, 2 MB L2, 1600 MHz DDR3L, quad core, 15 W) for use with Windows Standard HP Pavilion 15 Notebook PC	762531-501
AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 17 Notebook PC	763428-001
AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 17 Notebook PC	763428-501
AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	766715-001
AMD M260 A10-5745M (2.9 GHz/2.1 GHz, 4 MB L2, 1333 MHz DDR3L, quad core, 25 W) for use with Windows Standard HP Pavilion 15 Notebook PC	766715-501
AMD A10-7300 (2.0 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with FreeDOS and Ubuntu Linux HP Pavilion 15 Notebook PC	778258-001
AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Standard HP Pavilion 15 Notebook PC	778258-501
AMD A10-7300 (1.9 GHz, up to 3.2 GHz, 2 MB L2), quad core 19 W, Max DDR3L-1600 for use with Windows Professional HP Pavilion 15 Notebook PC	778258-601


Before removing the system board, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- 6. Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>).
- **7**. Remove the WLAN module (see WLAN module on page 86).


Remove the system board:

- Remove the following cables if you have not already done so:
 - Power connector board cable (1)
 - Display cables (2), and (3)


Speaker cable (4)




- Disconnect the following cables if you have not already done so: 2.
 - Subwoofer cable (1)
 - Optical drive cable (2)
 - Hard drive cable (3)
 - USB connector cable (4)



- 3. Remove the power connector cover by removing the screw(s) (1) and lifting the cover (2).
 - NOTE: The power connector cover has two screws, however, the screw on the left is removed during the base enclosure and top cover removal process.
 - NOTE: You will remove the power connector after you have removed the system board. This procedure is to remove the power connector cover if did not remove it when removing the display panel.



- 4. Remove the six Phillips screws (1).
- 5. Lift the system board (2), and then remove the system board (3) by sliding it up and to the right at an angle.



Reverse this procedure to install the system board.

Speakers


Description	Spare part number
Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 17 Notebook PC computer models	763717-001
Speaker Kit (includes left and right front speakers and cables) for HP Pavilion 15 Notebook PC computer models	762502-001

Before removing the speakers, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- 6. Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>).
- 7. Remove the WLAN module (see WLAN module on page 86).
- 8. Remove the system board (see System board on page 95).

Remove the speakers:

- Turn the computer, with the front edge toward you.
- 2. Remove two screws (1).
- 3. Disengage the cables, and then remove the front speakers (2).



Reverse this procedure to install the speakers.

Memory modules

Description	Spare part number
2 GB memory module	691739-005
4 GB memory module	691740-005
8 GB memory module	693374-005
2 GB memory module	652972-005
8 GB memory module	670034-005
16 GB memory module for use with AMD HP Pavilion 15 computer models	756760-004


Before removing a memory module, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>).
- 7. Remove the WLAN module (see WLAN module on page 86).
- Remove the system board (see <u>System board on page 95</u>).

Remove the memory module:

- Turn the system board over.
- Spread the retaining tabs (1) on each side of the memory module slot to release the memory module. (The memory module tilts up.)
 - A CAUTION: To prevent damage to the memory module, hold it by the edges only. Do not touch the components on the memory module.

Slide the memory module forward (2) to remove it.



Reverse this procedure to install a memory module.

RTC battery

Description	Spare part number
RTC battery	697917-001


Before removing the RTC battery, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>). 6.
- 7. Remove the WLAN module (see WLAN module on page 86).
- Remove the system board (see System board on page 95).

Remove the RTC battery:

Turn the system board upside down.

Use a thin, non-conductive tool to remove the RTC battery (1) from the socket on the system board.



Reverse this procedure to install the RTC battery on computer models. When installing the RTC battery, make sure the "+" sign faces up.

Power connector

Description	Spare part number
For use with HP Pavilion 15 Notebook PC computer models	762507-001
For use with HP Pavilion 17 Notebook PC computer models	763699-001


Before removing the power connector cable, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- 6. Remove the top cover from the base enclosure (see Base enclosure on page 70).
- 7. Remove the WLAN module (see WLAN module on page 86).
- Remove the system board (see <u>System board on page 95</u>).

Remove the power connector cable:

The power connector cover was removed during the system board removal.

- 1. Release the metal clip to disconnect the power connector cable (1) from the system board.
- 2. Disengage the cable from the clips (2).
- Release the clips (3), and then remove the power connector cable (4). 3.



Reverse this procedure to install the power connector cable and bracket.

Fan


Description	Spare part number
For use with HP Pavilion 15 Notebook PC computer models	762505-001
For use with HP Pavilion 17 Notebook PC computer models	765788-001

Before removing the Fan, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 65</u>), 4.
- 5. Remove the optical drive.
- 6. Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>).
- 7. Remove the WLAN module (see WLAN module on page 86).
- Remove the system board (see <u>System board on page 95</u>).

Remove the fan:

- 1. Turn the system board upside down.
- 2. Disconnect the fan cable from the system board, and then remove the piece of tape that secures the fan to the heat sink (1).
- 3. Remove the 3 screws securing the fan to the unit (2) and lift the fan to remove it (3).
- 4. Lift the fan (4) to remove it.



Reverse this procedure to install the fan.

Heat sink

Description	Spare part number
For use with HP Pavilion 15 Notebook PC computer models:	
For use only on computer models with Intel processors discrete memory 19 W	762524-001
For use only on computer models equipped with AMD processors and UMA graphics 19 W	767339-001
For use only on computer models equipped with AMD processors and discrete graphics 19 W	767340-001
For use only on computer models equipped with AMD processors and UMA graphics 8.5 W	767341-001
Heat sink 8.5 W discrete for use with Intel computer models	780212–001
For use only on computer models equipped with Intel processors and UMA graphics 28 W SB	793182-001
For use with HP Pavilion 17 Notebook PC computer models:	
For use only on computer models with Intel processors discrete memory 19 W	762524-001
For use only on computer models equipped with AMD processors and UMA graphics 19 W	764080-001
For use only on computer models equipped with AMD processors and UMA graphics 25 W	764082-001
For use only on computer models equipped with AMD processors and discrete graphics 25 W	764083-001
For use only on computer models equipped with AMD processors and UMA graphics 19 W	767339-001

Description	Spare part number
For use only on computer models with Intel processors discrete memory 19 W	767340-001
For use only on computer models equipped with AMD processors and UMA graphics 8.5 W	767341-001
For use only on computer models with Intel processors discrete memory 19 W	777250-001
Heat spreader for use with Intel computer models	784982-001


NOTE: To properly ventilate the computer, allow at least 7.6 cm (3 in) of clearance on the left side of the computer. The computer uses an electric fan for ventilation. The fan is controlled by a temperature sensor and is designed to turn on automatically when high temperature conditions exist. These conditions are affected by high external temperatures, system power consumption, power management/battery conservation configurations, battery fast charging, and software requirements. Exhaust air is displaced through the ventilation grill located on the left side of the computer.

Before removing the heat sink, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 65</u>), 4.
- 5. Remove the optical drive.
- Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>). 6.
- 7. Remove the WLAN module (see WLAN module on page 86).
- 8. Remove the system board (see System board on page 95).
- Remove the fan (see Fan on page 107).

Remove the heat sink:

- Loosen the seven captive screws in the order listed on the heat sink (1), and then remove the heat sink (2).
 - NOTE: The heat sink may vary by computer model and may have a different number of screws. The heat sink is marked with the order the screws should be removed in. Follow the order shown.



There is thermal paste between the heat sink and the processor.

Reverse this procedure to install the heat sink.

Power button board


Description	Spare part number
Power button board (includes cable) For HP Pavilion 15 Notebook PC computer models	762496-001
Power button board (includes cable) For HP Pavilion 17 Notebook PC computer models	763708-001

Before removing the Power button board, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 65</u>),
- 5. Remove the optical drive.
- Remove the top cover from the base enclosure (see <u>Base enclosure on page 70</u>). 6.
- 7. Remove the WLAN module (see WLAN module on page 86).
- 8. Remove the system board (see System board on page 95).

Remove the Power button board and cable:

- 1. Turn the top cover upside down, with the back edge toward you.
- 2. Remove the 2 Phillips screws securing the Power button board to the base enclosure (1).
- 3. Remove the Power button board (2).
- The Power button board's cable is attached to the base enclosure.



Reverse this procedure to install the Power button board.

Windows – Using Setup Utility (BIOS) and **HP PC Hardware Diagnostics (UEFI)**

Setup Utility, or Basic Input/Output System (BIOS), controls communication between all the input and output devices on the system (such as disk drives, display, keyboard, mouse, and printer). Setup Utility (BIOS) includes settings for the types of devices installed, the startup sequence of the computer, and the amount of system and extended memory.

Starting Setup Utility (BIOS)

To start Setup Utility (BIOS), turn on or restart the computer, quickly press esc, and then press f10.

NOTE: Use extreme care when making changes in Setup Utility (BIOS). Errors can prevent the computer from operating properly.

Updating the BIOS

Updated versions of the BIOS may be available on the HP website.

Most BIOS updates on the HP website are packaged in compressed files called SoftPags.

Some download packages contain a file named Readme.txt, which contains information regarding installing and troubleshooting the file.

Determining the BIOS version

To determine whether available BIOS updates contain later BIOS versions than those currently installed on the computer, you need to know the version of the system BIOS currently installed.

BIOS version information (also known as ROM date and System BIOS) can be revealed by pressing fn+esc (if you are already in Windows) or by using Setup Utility (BIOS).

- Start Setup Utility (BIOS) (see Starting Setup Utility (BIOS) on page 112).
- 2. Use the arrow keys to select Main.
- To exit Setup Utility (BIOS) without saving your changes, use the arrow keys to select **Exit**, select Exit Discarding Changes, and then press enter.
- Select Yes.

Downloading a BIOS update

A CAUTION: To reduce the risk of damage to the computer or an unsuccessful installation, download and install a BIOS update only when the computer is connected to reliable external power using the AC adapter. Do not download or install a BIOS update while the computer is running on battery power, docked in an optional docking device, or connected to an optional power source. During the download and installation, follow these instructions:

Do not disconnect power from the computer by unplugging the power cord from the AC outlet.

Do not shut down the computer or initiate Sleep.

Do not insert, remove, connect, or disconnect any device, cable, or cord.

- From the Start screen, type hp support assistant, and then select the HP Support Assistant app.
- 2. Click **Updates and tune-ups**, and then click **Check for HP updates now**.
- 3. Follow the on-screen instructions.
- At the download area, follow these steps:
 - Identify the most recent BIOS update and compare it to the BIOS version currently installed on your computer. If the update is more recent than your BIOS, make a note of the date, name, or other identifier. You may need this information to locate the update later, after it has been downloaded to your hard drive.
 - Follow the on-screen instructions to download your selection to the hard drive.
 - If the update is more recent than your BIOS, make a note of the path to the location on your hard drive where the BIOS update is downloaded. You will need to access this path when you are ready to install the update.
- NOTE: If you connect your computer to a network, consult the network administrator before installing any software updates, especially system BIOS updates.

BIOS installation procedures vary. Follow any instructions that are revealed on the screen after the download is complete. If no instructions are revealed, follow these steps:

- From the Start screen, type file, and then select File Explorer.
- 2. Click your hard drive designation. The hard drive designation is typically Local Disk (C:).
- Using the hard drive path you recorded earlier, open the folder on your hard drive that contains 3. the update.
- Double-click the file that has an .exe extension (for example, *filename*.exe). The BIOS installation begins.
 - Complete the installation by following the on-screen instructions.
- NOTE: After a message on the screen reports a successful installation, you can delete the downloaded file from your hard drive.

Using HP PC Hardware Diagnostics (UEFI)

HP PC Hardware Diagnostics is a Unified Extensible Firmware Interface (UEFI) that allows you to run diagnostic tests to determine whether the computer hardware is functioning properly. The tool runs outside the operating system so that it can isolate hardware failures from issues that are caused by the operating system or other software components.

To start HP PC Hardware Diagnostics UEFI:


Turn on or restart the computer, quickly press esc, and then press f2.

The BIOS searches three places for the diagnostic tools, in the following order:

a. Connected USB drive

NOTE: To download the HP PC Hardware Diagnostics (UEFI) tool to a USB drive, see Downloading HP PC Hardware Diagnostics (UEFI) to a USB device on page 114.

- b. Hard drive
- c. BIOS
- 2. When the diagnostic tool opens, use the keyboard arrow keys to select the type of diagnostic test you want to run, and then follow the on-screen instructions.



Downloading HP PC Hardware Diagnostics (UEFI) to a USB device

NOTE: Instructions for downloading HP PC Hardware Diagnostics (UEFI) are provided in English only.

There are two options to download HP PC Hardware Diagnostics to a USB device:

Option 1: HP PC Diagnostics homepage— Provides access to the latest UEFI version

- 1. Go to http://hp.com/go/techcenter/pcdiags.
- Click the UEFI Download link, and then select Run.

Option 2: Support and Drivers page—Provides downloads for a specific product for earlier and later versions

- 1. Go to http://www.hp.com.
- 2. Point to Support, located at the top of the page, and then click Download Drivers.
- 3. In the text box, enter the product name, and then click Go.

– or –

Click Find Now to let HP automatically detect your product.

- 4. Select your computer model, and then select your operating system.
- In the Diagnostic section, click HP UEFI Support Environment.

- or -

Click Download, and then select Run.

8 Ubuntu Linux – Using Setup Utility (BIOS) and System Diagnostics

Setup Utility, or Basic Input/Output System (BIOS), controls communication between all the input and output devices on the system (such as disk drives, display, keyboard, mouse, and printer). Setup Utility includes settings for the types of peripherals installed, the startup sequence of the computer, and the amount of system and extended memory.

NOTE: Use extreme care when making changes in Setup Utility. Errors can prevent the computer from operating properly.

Starting Setup Utility

Turn on or restart the computer. While the computer is booting press esc. When the Startup menu is displayed, press f10.

Using Setup Utility

Changing the language of Setup Utility

- 1. Start Setup Utility.
- 2. Use the arrow keys to select **System Configuration > Language**, and then press enter.
- Use the arrow keys to select a language, and then press enter.
- When a confirmation prompt with your language selected is displayed, press enter.
- To save your change and exit Setup Utility, use the arrow keys to select Exit > Exit Saving **Changes**, and then press enter.

Your change takes effect immediately.

Navigating and selecting in Setup Utility

Setup Utility does not support the TouchPad. Navigation and selection are by keystroke.

- To choose a menu or a menu item, use the arrow keys.
- To choose an item in a list or to toggle a field—for example an Enable/Disable field—use either the arrow keys or f5 and f6.
- To select an item, press enter.
- To close a text box or return to the menu display, press esc.
- To display additional navigation and selection information while Setup Utility is open, press f1.

Displaying system information

- Start Setup Utility.
- Select the Main menu. System information such as the system time and date, and identification information about the computer is displayed.
- To exit Setup Utility without changing any settings, use the arrow keys to select Exit > Exit
 Discarding Changes, and then press enter.

Restoring factory default settings in Setup Utility

- Start Setup Utility.
- 2. Use the arrow keys to select Exit > Load Setup Defaults, and then press enter.
- 3. When the Setup Confirmation is displayed, press enter.
- 4. To save your change and exit Setup Utility, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.

The Setup Utility factory settings take effect when the computer restarts.

NOTE: Your password, security, and language settings are not changed when you restore the factory settings.

Exiting Setup Utility

- To exit Setup Utility and save your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.
- To exit Setup Utility without saving your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then use the arrow keys to select **Exit > Exit Discarding Changes**, and then press enter.

Updating the BIOS

Updated versions of the BIOS may be available on the HP website.

Most BIOS updates on the HP website are packaged in compressed files called SoftPags.

Some download packages contain a file named Readme.txt, which contains information regarding installing and troubleshooting the file.

Determining the BIOS version

To determine whether available BIOS updates contain later BIOS versions than those currently installed on the computer, you need to know the version of the system BIOS currently installed.

BIOS version information (also known as ROM date and System BIOS) can be displayed by using Setup Utility.

- Start Setup Utility. 1.
- If the system information is not displayed, use the arrow keys to select the Main menu. BIOS and other system information is displayed.
- To exit Setup Utility, use the arrow keys to select Exit > Exit Discarding Changes, and then press enter.

Downloading a BIOS update

A CAUTION: To reduce the risk of damage to the computer or an unsuccessful installation, download and install a BIOS update only when the computer is connected to reliable external power using the AC adapter. Do not download or install a BIOS update while the computer is running on battery power, or connected to an optional power source. During the download and installation, follow these instructions:

Do not disconnect power from the computer by unplugging the power cord from the AC outlet.

Do not shut down the computer or initiate Suspend or Hibernation.

Do not insert, remove, connect, or disconnect any device, cable, or cord.

- Access the page on the HP website that provides software for your computer. 1.
- Follow the on-screen instructions to identify your computer and access the BIOS update you want to download.
- At the download area, follow these steps:
 - Identify the BIOS update that is later than the BIOS version currently installed on your computer. Make a note of the date, name, or other identifier. You may need this information to locate the update later, after it has been downloaded to your hard drive.
 - Follow the on-screen instructions to download your selection to the hard drive. Make a note of the path to the location on your hard drive where the BIOS update is downloaded. You will need to access this path when you are ready to install the update.
- If you connect your computer to a network, consult the network administrator before installing any software updates, especially system BIOS updates.

BIOS installation procedures vary. Follow any instructions that are displayed on the screen after the download is complete.

NOTE: After a message on the screen reports a successful installation, you can delete the downloaded file from your hard drive.

Using Advanced System Diagnostics


Advanced System Diagnostics allows you to run diagnostic tests to determine if the computer hardware is functioning properly. The following diagnostic tests are available in Advanced System Diagnostics:

- Start-up test—This test analyzes the main computer components that are required to start the computer.
- Run-in test—This test repeats the start-up test and checks for intermittent problems that the start-up test does not detect.
- Hard disk test—This test analyzes the physical condition of the hard drive, and then checks all data in every sector of the hard drive. If the test detects a damaged sector, it attempts to move the data to a good sector.
- Memory test—This test analyzes the physical condition of the memory modules. If it reports an error, replace the memory modules immediately.
- Battery test—This test analyzes the condition of the battery and calibrates the battery if necessary. If the battery fails the test, contact support to report the issue and purchase a replacement battery.
- System Tune-Up—This group of additional tests checks your computer to make sure that the main components are functioning correctly. System Tune-Up runs longer and more comprehensive tests on memory modules, hard drive SMART attributes, the hard drive surface, the battery (and battery calibration), video memory, and the WLAN module status.

You can view system information and error logs in the Advanced System Diagnostics window.

To start Advanced System Diagnostics:

- Turn on or restart the computer. While the computer is booting press esc. When the Startup menu is displayed, press f2.
- Click the diagnostic test you want to run, and then follow the on-screen instructions.



Specifications

Computer specifications

	Metric	U.S.	
Dimensions:			
Width for HP Pavilion 17 Notebook PC	41.95 cm	16.5 in	
Width for HP Pavilion 15 Notebook PC	38.45 cm	15.9 in	
Depth for HP Pavilion 17 Notebook PC	27.9 cm	10.7 in	
Depth for HP Pavilion 15 Notebook PC	26.09 cm	10.3 in	
Height for HP Pavilion 17 Notebook PC	2.67 cm	1.1 in	
Height for HP Pavilion 15 Notebook PC	2.49 cm	1 in	
Weight:			
NOTE: Actual weight varies by features.			
Height for HP Pavilion 17 Notebook PC	2.9 kg	6.0 lbs	
Height for HP Pavilion 15 Notebook PC	2.44 kg	5.0 lbs	
Input power			
Operating voltage and current	19.5 V dc @ 3.33 A – 65	W	
	19.5 V dc @ 4.62 A – 90 W		
	19.5 V dc @ 2.31 A – 45 V	W	
Temperature			
Operating (writing to optical disc)	5°C to 35°C	41°F to 95°F	
Nonoperating	-20°C to 60°C	-4°F to 140°F	
Relative humidity			
Operating	10% to 90%		
Nonoperating	5% to 95%		
Maximum altitude (unpressurized)			
Operating (14.7 to 10.1 psia)	-15 m to 3,048 m	-50 ft to 10,000 ft	
Nonoperating (14.7 to 4.4 psia)	-15 m to 12,192 m	-50 ft to 40,000 ft	
Shock			
Operating	125 g, 2 ms, half-sine	125 g, 2 ms, half-sine	
Nonoperating	200 g, 2 ms, half-sine		
Random vibration			
Operating	0.75 g zero-to-peak, 10 H	Iz to 500 Hz, 0.25 oct/min sweep rate	

	Metric	U.S.
Nonoperating	1.50 g zero-to-peak, 10 Hz to 5	00 Hz, 0.5 oct/min sweep rate
NOTE: Applicable product safety standards specify thermal limits for plastic surfaces. The computer operates well within this range of temperatures.		

Display Specifications (17.3)

	Metric	U.S.
Dimensions		
Width	32.4 cm	12.8 in
Height	19.3 cm	7.6 in
Diagonal	35.56 cm	14.0 in
Number of colors	262K (6 bit)	
Contrast ratio	500:1 (typical)	
Brightness	200 cd/m² (nits) (typical)	
Backlight	WLED	
Total power consumption	3.2 W (max)	
Viewing angle	±45° horizontal, +15° up & -35° down vertical (typical)	

Display Specifications (15.6-in)

	Metric	U.S.
Active diagonal size	39.6-cm	15.6-in
Resolution	1600x900 (HD+)	
Active area	309.399x173.952	
PPI	112	
Surface treatment	Anti-glare	
Contrast ratio	300:1 (typical)	
Response time	8 ms	
Brightness	200 nits (typical)	
Viewing angle	SVA	
Backlight	LED	
Luminance uniformity @ 13 points	1.4 (typ), 1.6 (max)	
Lifetime (1/2 luminance)	12,000 hours	
Color coordinate (white)	(0.313, 0.329)	
Color tolerance (White)	+/- 0.02	
Color tolerance (W, R, G, B)	+/- 0.03	
Color gamut	45% typical	

Hard drive specifications

	1. 5 TB, 5400 rpm*	1 TB*	750 GB*	500 GB*
Dimensions				
Height	9.5 mm	9.5 mm	9.5 mm	7 mm
Width	70 mm	70 mm	70 mm	70 mm
Weight	107 g	107 g max	107 g max	107 g max
Interface type	SATA	SATA	SATA	SATA
Transfer rate	145 MB/sec	300 MB/sec	300 MB/sec	300 MB/sec
Security	ATA security	ATA security	ATA security	ATA security
Seek times (typical read, including setting)				
Single track	2.0 ms	1.5 ms	1.0 ms	1.5 ms
Average	12 ms	11.0 ms	14.0 ms	12.0 ms
Maximum	22ms	22.0 ms	24.0 ms	22.0 ms
Logical blocks	2,930,277,168	1,953,525,168	1,465,128,359	976,752,240
Disk rotational speed	5400 rpm	5400 rpm	7200 and 5400 rpm	7200 and 5400 rpm
Operating temperature		5°C to 55°C	(41°F to 131°F)	

NOTE: Certain restrictions and exclusions apply. Contact support for details.

DVD±RW SuperMulti Double-Layer Combination Drive specifications

Applicable disc	
Read	CD-DA, CD+(E)G, CD-MIDI, CD-TEXT, CD-ROM, CD-ROM XA, MIXED MODE CD, CD-I, CD-I Bridge (Photo-CD, Video CD), Multisession CD (Photo-CD, CD-EXTRA, Portfolio, CD-R, CD-RW), CD-R, CD-RW, DVD-ROM (DVD-5, DVD-9, DVD-10, DVD-18), DVD-R, DVD-RW, DVD+R, DVD+RW, DVD-RAM
Write	CD-R and CD-RW, DVD+R, DVD+RW, DVD-R, DVD-RW, DVD-RAM
Random access time	
DVD	< 230 ms
CD	< 175 ms
Cache buffer	2 MB
Data transfer rate	
24X CD-ROM	3,600 KB/sec

8X DVD-ROM	10,800 KB/sec
24X CD-R	3,600 KB/sec
16X CD-RW	2,400 KB/sec
8X DVD+R	10,800 KB/sec
4X DVD+RW	5,400 KB/sec
8X DVD-R	10,800 KB/sec
4X DVD-RW	5,400 KB/sec
2.4X DVD+R(9)	2,700 KB/sec
5X DVD-RAM	6,750 KB/sec
Transfer mode	Multiword DMA Mode

10 Windows 8.1 – Backing up, restoring, and recovering

This chapter provides information about the following processes:

- Creating recovery media and backups
- Restoring and recovering your system

Creating recovery media and backups

After you successfully set up the computer, create HP Recovery media. This step creates a
backup of the HP Recovery partition on the computer. The backup can be used to reinstall the
original operating system in cases where the hard drive is corrupted or has been replaced.

HP Recovery media you create will provide the following recovery options:

- System Recovery—Reinstalls the original operating system and the programs that were installed at the factory.
- Minimized Image Recovery—Reinstalls the operating system and all hardware-related drivers and software, but not other software applications.
- Factory Reset—Restores the computer to its original factory state by deleting all
 information from the hard drive and re-creating the partitions. Then it reinstalls the
 operating system and the software that was installed at the factory.

See Creating HP Recovery media on page 124.

 Use the Windows tools to create system restore points and create backups of personal information. For more information and steps, see Help and Support. From the Start screen, type help, and then select Help and Support.

Creating HP Recovery media

HP Recovery Manager is a software program that offers a way to create recovery media after you successfully set up the computer. HP Recovery media can be used to perform system recovery if the hard drive becomes corrupted. System recovery reinstalls the original operating system and the software programs installed at the factory, and then configures the settings for the programs. HP Recovery media can also be used to customize the system or restore the factory image if you replace the hard drive.

- Only one set of HP Recovery media can be created. Handle these recovery tools carefully, and keep them in a safe place.
- HP Recovery Manager examines the computer and determines the required storage capacity for the blank USB flash drive or the number of blank DVD discs that will be required.
- To create recovery discs, your computer must have an optical drive with DVD writer capability, and you must use only high-quality blank DVD-R, DVD+R, DVD-R DL, or DVD+R DL discs. Do not use rewritable discs such as CD±RW, DVD±RW, double-layer DVD±RW, or BD-RE (rewritable Blu-ray) discs; they are not compatible with HP Recovery Manager software. Or instead you can use a high-quality blank USB flash drive.

- If your computer does not include an integrated optical drive with DVD writer capability, but you would like to create DVD recovery media, you can use an external optical drive (purchased separately) to create recovery discs, or you can obtain recovery discs for your computer from support. See the Worldwide Telephone Numbers booklet included with the computer. You can also find contact information from the HP website. Go to http://www.hp.com/support, select your country or region, and follow the on-screen instructions. If you use an external optical drive, it must be connected directly to a USB port on the computer; the drive cannot be connected to a USB port on an external device, such as a USB hub.
- Be sure that the computer is connected to AC power before you begin creating the recovery media.
- The creation process can take up to an hour or more. Do not interrupt the creation process.
- If necessary, you can exit the program before you have finished creating all of the recovery DVDs. HP Recovery Manager will finish burning the current DVD. The next time you start HP Recovery Manager, you will be prompted to continue, and the remaining discs will be burned.

To create HP Recovery media:

- IMPORTANT: For tablets, connect to the keyboard dock before beginning these steps (select models only).
 - 1. From the Start screen, type recovery, and then select HP Recovery Manager.
 - 2. Select Recovery Media Creation, and then follow the on-screen instructions.

If you ever need to recover the system, see Recovering using HP Recovery Manager on page 126.

Restore and recovery

There are several options for recovering your system. Choose the method that best matches your situation and level of expertise:

- Windows offers several options for restoring from backup, refreshing the computer, and resetting the computer to its original state. For more information and steps, see Help and Support. From the Start screen, type help, and then select Help and Support.
- If you need to correct a problem with a preinstalled application or driver, use the Drivers and Applications Reinstall option of HP Recovery Manager to reinstall the individual application or driver.
 - From the Start screen, type recovery, select HP Recovery Manager, select Drivers and Applications Reinstall, and then follow the on-screen instructions.
- If you want to reset your computer using a minimized image, you can choose the HP Minimized Image Recovery option from the HP Recovery partition (select models only) or HP Recovery media. Minimized Image Recovery installs only drivers and hardware-enabling applications. Other applications included in the image continue to be available for installation through the Drivers and Applications Reinstall option in HP Recovery Manager.
 - For more information, see Recovering using HP Recovery Manager on page 126.
- If you want to recover the computer's original factory partitioning and content, you can choose the System Recovery option from the HP Recovery partition (select models only) or use the HP Recovery media that you have created. For more information, see Recovering using HP Recovery Manager on page 126. If you have not already created recovery media, see Creating HP Recovery media on page 124.

- If you have replaced the hard drive, you can use the Factory Reset option of HP Recovery media to restore the factory image to the replacement drive. For more information, see Recovering using HP Recovery Manager on page 126.
- If you wish to remove the recovery partition to reclaim hard drive space, HP Recovery Manager offers the Remove Recovery Partition option.

For more information, see <u>Removing the HP Recovery partition (select models only)</u> on page 127.

Recovering using HP Recovery Manager

HP Recovery Manager software allows you to recover the computer to its original factory state by using the HP Recovery media that you created or by using the HP Recovery partition (select models only). If you have not already created recovery media, see Creating HP Recovery media on page 124.

Using HP Recovery media, you can choose from one of the following recovery options:

- System Recovery—Reinstalls the original operating system, and then configures the settings for the programs that were installed at the factory.
- Minimized Image Recovery (select models only)—Reinstalls the operating system and all hardware-related drivers and software, but not other software applications.
- Factory Reset—Restores the computer to its original factory state by deleting all information
 from the hard drive and re-creating the partitions. Then it reinstalls the operating system and the
 software that was installed at the factory.

The HP Recovery partition (select models only) allows System Recovery and Minimized Image Recovery.

What you need to know

- HP Recovery Manager recovers only software that was installed at the factory. For software not
 provided with this computer, you must either download the software from the manufacturer's
 website or reinstall the software from the media provided by the manufacturer.
- Recovery through HP Recovery Manager should be used as a final attempt to correct computer issues.
- HP Recovery media must be used if the computer hard drive fails. If you have not already created recovery media, see Creating HP Recovery media on page 124.
- To use the Factory Reset option, you must use HP Recovery media. If you have not already created recovery media, see Creating HP Recovery media on page 124.
- If the HP Recovery media does not work, you can obtain recovery media for your system from support. See the *Worldwide Telephone Numbers* booklet included with the computer. You can also find contact information from the HP website. Go to http://www.hp.com/support, select your country or region, and follow the on-screen instructions.

IMPORTANT: HP Recovery Manager does not automatically provide backups of your personal data. Before beginning recovery, back up any personal data you wish to retain.

Using the HP Recovery partition (select models only)

The HP Recovery partition (select models only) allows you to perform a system recovery or minimized image recovery without the need for recovery discs or a recovery USB flash drive. This type of recovery can only be used if the hard drive is still working.

To start HP Recovery Manager from the HP Recovery partition:

"> IMPORTANT: For tablets, connect to the keyboard dock before beginning these steps (select models only).

Press f11 while the computer boots.

– or –

Press and hold f11 as you press the power button.

- 2. Select **Troubleshoot** from the boot options menu.
- 3. Select **Recovery Manager**, and then follow the on-screen instructions.

Using HP Recovery media to recover

You can use HP Recovery media to recover the original system. This method can be used if your system does not have an HP Recovery partition or if the hard drive is not working properly.

- If possible, back up all personal files.
- 2. Insert the HP Recovery media that you created, and then restart the computer.
 - NOTE: If the computer does not automatically restart in HP Recovery Manager, change the computer boot order. See Changing the computer boot order on page 127.
- Follow the on-screen instructions.

Changing the computer boot order

If computer does not restart in HP Recovery Manager, you can change the computer boot order, which is the order of devices listed in BIOS where the computer looks for startup information. You can change the selection for an optical drive or a USB flash drive.

To change the boot order:

- 1. Insert the HP Recovery media you created.
- 2. Restart the computer, quickly press esc, and then press 69 for boot options.
- 3. Select the optical drive or USB flash drive you want to boot from.
- Follow the on-screen instructions.

Removing the HP Recovery partition (select models only)

HP Recovery Manager software allows you to remove the HP Recovery partition to free up hard drive space.

IMPORTANT: After you remove the HP Recovery partition, you can no longer use the Windows Refresh option or the Windows option to remove everything and reinstall Windows. In addition, you will not be able to perform System Recovery or Minimized Image Recovery from the HP Recovery partition. So before you remove the Recovery partition, create HP Recovery media; see Creating HP Recovery media on page 124.

Follow these steps to remove the HP Recovery partition:

- From the Start screen, type recovery, and then select HP Recovery Manager. 1.
- 2. Select Remove Recovery Partition, and then follow the on-screen instructions.


11 Ubuntu Linux - Backing up, restoring, and recovering

Recovery after a system failure is as good as your most recent backup. As you add new software and data files, you should continue to back up your system on a regular basis to maintain a reasonably current backup.

Performing a system recovery

The Deja Dup Restore Tool allows you to repair or restore the computer to its original factory state. You can create an image restore DVD using an optional external DVD±RW optical drive. You can also create a restore image on a USB storage device.

AUTION: Using Restore completely erases hard drive contents and reformats the hard drive. All files you have created and any software installed on the computer are permanently removed. The recovery tool reinstalls the original operating system and programs and drivers that were installed at the factory. Software, drivers, and updates not installed at the factory must be manually reinstalled. Personal files must be restored from a backup.



Creating the restore DVDs

The restore creation software creates a set of system restore discs using blank, writable DVDs (DVD-R or DVD+R). HP recommends using blank DVD+R discs from a manufacturer you trust, because these recovery DVDs are so important. You need approximately 3 blank DVD+R discs. The program states how many discs are needed at the beginning of the process.

To create restore DVDs:

- Click the System menu icon at the far right of the top panel, and then click System Settings >
- Select Storage from the panel on the left side of the window, click the down-arrow next to Backup Location, and select the DVD from the drop-down list.
- Select Overview from the panel on the left side of the window, and then click Back Up Now.
- Follow the on-screen instructions.

Creating a restore image on a USB device

NOTE: Be sure AC power is connected to the computer you begin.

Verify the exact amount of free space on your storage device before you begin the creation process. For most models, you will need at least 8 GB of free space on the storage device. However, depending on the drivers and software installed on your computer, you may need slightly more than 8 GB of space. HP recommends that you use a 16 GB device or above for best results.

IMPORTANT: Remember to insert your USB device into the USB port on the computer before starting this procedure.

To create the restore image:

- Click the System menu icon at the far right of the top panel, and then click System Settings > Backup.
- Select Storage from the panel on the left side of the window, click the down-arrow next to Backup location, and select the USB device from the drop-down list.
- NOTE: If the USB device is not listed in the drop-down list for Backup Location, select Local Folder, and then click the Choose Folder button. Select the USB device from the panel on the left side of the Choose Folder window, and click OK.
- Select Overview from the panel on the left side of the window, and then click Backup Now.
- Follow the on-screen instructions.

Performing recovery using the restore media

The following procedure uses the F11 BIOS Recovery feature to perform the recovery.

- 1. If possible, back up all personal files.
- Shut down the computer.
- Be sure the restore DVD or USB device is connected to the computer.
- 4. Restart the computer.
- 5. Using the arrow keys, select **Recovery**, and then press enter.
- Follow the on-screen instructions.

NOTE: If you are unable to boot (start up) your computer with the primary operating system, and you did not create a system recovery disc, you must purchase an Ubuntu Operating System DVD to reinstall the operating system. For additional information, refer to the Worldwide Telephone Numbers booklet for more information.

Backing up your information

You should back up your computer files on a regular schedule to maintain a current backup. You can manually back up your information to an optional external drive, a network drive, discs, or the Ubuntu One website. Back up your system at the following times:

- At regularly scheduled times
- Before the computer is repaired or restored
- Before you add or modify hardware or software

To back up your home directory files to the Ubuntu website using the Deja Dup Backup Tool:

NOTE: Before you back up your information, be sure you have designated a location to save the backup files.

- Click the System menu icon at the far right of the top panel, and then click System Settings > Backup icon.
- Select Folders from the panel on the left side of the window, and beneath Folders to back up. select the folders to back up.

- Select Storage from the panel on the left side of the window, click the down-arrow next to Backup Location, and select Ubuntu One from the drop-down list.
- Select Overview from the panel on the left side of the window, and then click Back Up Now.
 - NOTE: The first time you backup your files to Ubuntu One, you will need to create an account to sign into Ubuntu One. Enter your email address and password into the account sign-in boxes and follow the on-screen instructions to complete the sign-in process.

To restore backup files:

- Click the System menu icon at the far right of the top panel, and then click System Settings > Backup icon.
- Click Restore, select the location of the backup files and the folder name, and then click Forward.
- Under Restore from When?, select the date of the files to be restored and click Forward.
- Select the location and folder where the files are to be restored and click Forward.
- Follow the on-line instructions.
- Click **Restore** to start restoring the files, or click **Cancel** to cancel the operation.
- NOTE: You may also back up to cloud storage services provided by various companies. For a small fee, they will keep your backup for you. A cloud service is recommended since it is an easy way to keep your backups off-site and safe from any disaster.

12 Power cord set requirements

The wide-range input feature of the computer permits it to operate from any line voltage from 100 to 120 V ac. or from 220 to 240 V ac.

The 3-conductor power cord set included with the computer meets the requirements for use in the country or region where the equipment is purchased.

Power cord sets for use in other countries or regions must meet the requirements of the country and region where the computer is used.

Requirements for all countries

The following requirements are applicable to all countries and regions:

- The length of the power cord set must be at least 1.0 m (3.3 ft) and no more than 2.0 m (6.5 ft).
- All power cord sets must be approved by an acceptable accredited agency responsible for evaluation in the country or region where the power cord set will be used.
- The power cord sets must have a minimum current capacity of 10 A and a nominal voltage rating of 125 or 250 V ac, as required by the power system of each country or region.
- The appliance coupler must meet the mechanical configuration of an EN 60 320/IEC 320 Standard Sheet C13 connector for mating with the appliance inlet on the back of the computer.

Requirements for specific countries and regions

Country/region	Accredited agency	Applicable note number
Argentina	IRAM	1
Australia	SAA	1
Austria	OVE	1
Belgium	CEBEC	1
Brazil	ABNT	1
Canada	CSA	2
Chile	IMQ	1
Denmark	DEMKO	1
Finland	FIMKO	1
France	UTE	1
Germany	VDE	1
India	ISI	1
Israel	SII	1
Italy	IMQ	1
Japan	JIS	3
The Netherlands	KEMA	1
New Zealand	SANZ	1
Norway	NEMKO	1
The People's Republic of China	CCC	4
Saudi Arabia	SASO	7
Singapore	PSB	1
South Africa	SABS	1
South Korea	KTL	5
Sweden	SEMKO	1
Switzerland	SEV	1
Taiwan	BSMI	6
Thailand	TISI	1
The United Kingdom	ASTA	1
The United States	UL	2

The flexible cord must be Type HO5VV-F, 3-conductor, 0.75 mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.

- 2. The flexible cord must be Type SVT/SJT or equivalent, No. 18 AWG, 3-conductor. The wall plug must be a two-pole grounding type with a NEMA 5-15P (15 A, 125 V ac) or NEMA 6-15P (15 A, 250 V ac) configuration. CSA or C-UL mark. UL file number must be on each element.
- The appliance coupler, flexible cord, and wall plug must bear a "T" mark and registration number in accordance with the Japanese Dentori Law. The flexible cord must be Type VCTF, 3-conductor, 0.75 mm² or 1.25 mm² conductor size. The wall plug must be a two-pole grounding type with a Japanese Industrial Standard C8303 (7 A, 125 V ac) configuration.
- The flexible cord must be Type RVV, 3-conductor, 0.75 mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the CCC certification mark.
- The flexible cord must be Type H05VV-F 3-conductor, 0.75 mm² conductor size. KTL logo and individual approval number must be on each element. Corset approval number and logo must be printed on a flag label.
- The flexible cord must be Type HVCTF 3-conductor, 1.25 mm² conductor size. Power cord set fittings (appliance coupler, cable, and wall plug) must bear the BSMI certification mark.
- For 127 V ac, the flexible cord must be Type SVT or SJT 3-conductor, 18 AWG, with plug NEMA 5-15P (15 A, 125 V ac), with UL and CSA or C-UL marks. For 240 V ac, the flexible cord must be Type H05VV-F 3-conductor, 0.75 mm2 or 1.00 mm2 conductor size, with plug BS 1363/A with BSI or ASTA marks.

13 Recycling

When a non-rechargeable or rechargeable battery has reached the end of its useful life, do not dispose of the battery in general household waste. Follow the local laws and regulations in your area for battery disposal.

HP encourages customers to recycle used electronic hardware, HP original print cartridges, and rechargeable batteries. For more information about recycling programs, see the HP Web site at http://www.hp.com/recycle.

Index

AC adapter 9, 10 spare part numbers 36, 37, 38	battery release latch 16 BIOS determining version 112	display back cover spare part numbers 39, 40, 47, 54, 55, 57
support 5 action keys identifying 15	determining version for Ubuntu Linux computer models 117 downloading an update 113	display back cover, spare part numbers 33, 47 display bezel
adapter, HDMI to VGA 37	downloading an update for	spare part number 32, 47, 78
Advanced System Diagnostics	Ubuntu Linux computer	spare part numbers 39
using for Ubuntu Linux	models 117	display hinge
computer models 118	updating 112	spare part number 32, 78
antenna	updating for Ubuntu Linux	display hinge kit
spare part number 33, 40, 46,	computer models 117	spare part number 46
78	Bluetooth label 17	spare part numbers 40, 45, 47
Antenna Kit, spare part number	boot order	Display Hinge Kit, spare part
33, 40, 46, 78	changing HP Recovery	number 32, 78
audio, product description 4	Manager 127	display panel
audio-out (headphone)/audio-in	bottom 17	product description 2
(microphone) jack 7, 8	buttons	removal 78
	left TouchPad 12	spare part number 32, 78
В	power 14	spare part numbers 47, 52
backups	right TouchPad 12	display panel cable
for Ubuntu Linux computer		removal 85
models 128	C	spare part number 33, 40, 44,
for Windows computer	caps lock light, identifying 13	46, 47, 48, 84
models 124	chipset, product description 1	display specifications 120, 121
personal information for Ubuntu	components	DVD±RW and CD-RW SuperMulti
Linux computer models 129	bottom 16	Double-Layer Combination Drive,
base enclosure removal 70	display 11 left side 9	specifications 122
	right side 9	E
spare part number 48 spare part numbers 30, 39,	top 12	esc key, identifying 15
47, 52, 54, 55, 56, 57, 70	computer major components 18	Ethernet, product description 4
base enclosure caps	computer specifications 119	Ethernet, product description 4
spare part number 47	connector, power 9, 10	F
battery	connector, power 5, 10	factory settings, restoring for
removal 65	D	Ubuntu Linux computer models
spare part number 30	default settings, restoring for	116
spare part numbers 39, 65	Ubuntu Linux computer models	fan
battery board	116	removal 107
removal 90	deleted files	spare part number 47, 107
spare part number 90	restoring 125	spare part numbers 39
spare part numbers 24, 46	display assembly	fn key, identifying 15
battery board, spare part	spare part numbers 78	
number 90	subcomponents 32	G
battery cover, identifying 16		graphics, product description 1

Н	J	minimized image recovery 126
hard drive	jacks	model name 1
product description 3	audio-out (headphone)/audio-in	mute light, identifying 13
removal 94	(microphone) 7, 8	
spare part numbers 30, 35,	network 9, 10	N
38, 54, 94	RJ-45 (network) 9, 10	network jack, identifying 9, 10
specifications 122		
Hard Drive Hardware Kit	K	0
contents 35, 36, 45, 54, 55,	keyboard	operating system, product
94	product description 5	description 5
spare part number 35, 36, 45,	keys	optical drive
54, 55, 94	action 15	product description 3
hard drive hardware kit	esc 15	removal 66
spare part numbers 39	fn 15	spare part number 66
hard drive light 7, 8	Windows 15	spare part numbers 35, 39,
HDMI port		46, 47, 52, 54, 55, 57
identifying 9, 10	L	specifications 122
HDMI to VGA adapter, spare part	labels	optical drive connector board
number 37	Bluetooth 17	removal 91
heat sink	Microsoft Certificate of	optical drive, identifying 7, 8
removal 108	Authenticity 17	optical drive, spare part numbers
spare part numbers 39, 40,	regulatory 17	30
56, 58, 108	serial number 17	original system recovery 126
heat sink assembly	service 17	original dydiom redevery 120
•	wireless certification 17	Р
spare part numbers 29, 47, 53	WLAN 17	pointing device, product
	latch, battery release 16	description 5
heat spreade	lights	ports
spare part numbers 57	AC adapter 9, 10	HDMI 9, 10
HP PC Hardware Diagnostics	caps lock 13	product description 4
(UEFI)	hard drive 7, 8	USB 2.0 7, 8
downloading 114	mute 13	USB 3.0 9, 10
using 113	power 7, 8, 13	power button board
HP Recovery Manager	RJ-45 (network) status 9, 10	removal 111
correcting boot problems 127	No-45 (Helwork) status 9, 10	spare part number 23, 46,
starting 127	M	111
HP Recovery media	mass storage device	spare part numbers 39
creating 124	removal 94	power button, identifying 14
recovery 127		
HP Recovery partition	spare part numbers 94 memory card reader, identifying	power connector spare part number 46
recovery 126		
removing 127	9, 10	• •
	memory card, identifying 9, 10	power connector cable
	memory module	removal 106
integrated numeric keypad,	product description 2	spare part number 106
identifying 15	removal 104	power connector, identifying 9,
internal display switch,	spare part numbers 29, 37,	10
identifying 11	104	power cord
internal microphones, identifying	microphone	requirements for all countries
11	product description 4	131
	minimized image	requirements for specific
	creating 126	countries and regions 132

set requirements 131	regulatory information	navigating for Ubuntu Linux
spare part numbers 36, 38	regulatory label 17	computer models 115
power lights, identifying 7, 8, 13	wireless certification labels 17	restoring default settings for
power requirements, product	removal/replacement	Ubuntu Linux computer
description 5	procedures 64, 69	models 116
processor, product description 1	restore	selecting for Ubuntu Linux
product description	recovery for Ubuntu Linux	computer models 115
audio 4	computer models 129	starting for Ubuntu Linux
chipset 1	Windows File History 125	computer models 115
display panel 2	restore DVDs	Setup Utility (BIOS), using for
Ethernet 4	for Ubuntu Linux computer	Windows computer models 112
external media cards 4	models 128	slots
graphics 1	restore USB device	memory card reader 9, 10
hard drive 3	for Ubuntu Linux computer	security cable 7, 10
keyboard 5	models 128	speaker kit
memory module 2	RJ-45 (network) jack, identifying	spare part number 46
microphone 4	9, 10	spare part numbers 39
operating system 5	RJ-45 (network) status lights,	Speaker Kit, spare part number
optical drive 3	identifying 9, 10	103
pointing device 5	RTC battery	speakers
ports 4	removal 105	identifying 14
power requirements 5	spare part number 29, 37,	removal 103
processors 1	105	spare part number 103
product name 1	rubber kit	speakers, spare part numbers
security 5	spare part number 46	front 30
serviceability 5	rubber kits	specifications
video 4	spare part numbers 45	computer 119
wireless 4	spare part numbers 45	display 120, 121
product name 1	S	DVD±RW and CD-RW
product name and number,	Screw Kit, spare part number 37,	SuperMulti Double-Layer
computer 17	40, 48	Combination Drive 122
computer 17	security cable slot, identifying 7,	hard drive 122
R	10	
recovery	security, product description 5	optical drive 122
discs 124, 127	serial number 17	subwoofer, identifying 16
HP Recovery Manager 126	serial number, computer 17	supported discs
media 127	service labels	recovery 124
options 125	locating 17	system board
•	_	removal 95
_	serviceability, product	spare part numbers 24, 40,
supported discs 124	description 5	44, 45, 46, 51, 52, 53, 54, 55,
system 126	Setup Utility	56, 57, 58, 95
USB flash drive 127	changing the language for	system information, displaying for
using HP Recovery media	Ubuntu Linux computer	Ubuntu Linux computer models
125	models 115	116
recovery media	displaying system information	system recovery 126
creating 124	for Ubuntu Linux computer	for Ubuntu Linux computer
creating using HP Recovery	models 116	models 128
Manager 125	exiting for Ubuntu Linux	system restore point
recovery partition	computer models 116	creating 124
removing 127		

Т	WLAN module	
top cover	removal 86	
spare part numbers 20, 40,	spare part numbers	24, 37
41, 42, 43, 44, 48, 49, 50, 51	38, 86	
touchapd board		
spare part numbers 56		
TouchPad		
buttons 12		
TouchPad button board		
removal 89		
spare part number 89		
TouchPad module		
spare part numbers 23, 39, 40, 48, 52		
TouchPad zone, identifying 12		
traveling with the computer 17		
U		
USB 2.0 port, identifying 7, 8		
USB 3.0 ports, identifying 9, 10		
USB board		
removal 93		
spare part numbers 39, 53, 93		
V		
vents, identifying 9, 10, 16		
video, product description 4		
W		
webcam		
identifying 11		
webcam light, identifying 11		
webcamera/microphone		
spare part numbers 39		
webcamera/microphone module		
spare part number 33, 40, 44		
Windows		
File History 125		
restoring files 125		
system restore point 124		
Windows key, identifying 15		
wireless antenna		
spare part number 33, 40, 46,		
78		
wireless certification label 17		
wireless, product description 4		
WLAN antennas, identifying 11		
WLAN device 17		
WLAN label 17		